



BCS Motor mowers, BCS 2-wheel tractors

630 MAX


01/09/2021

| | |
|---|----|
| A60004 - 630 MAX..... | 4 |
| C02_0_48457 - BODY..... | 7 |
| C02_1_68561 - BODY..... | 9 |
| C02_2_99907 - BODY..... | 11 |
| C02_3_124709 - BODY..... | 13 |
| C02_4_141396 - BODY..... | 16 |
| D01_0_48486 - CLUTCH..... | 19 |
| D01_1_60103 - CLUTCH..... | 21 |
| D01_2_68590 - CLUTCH..... | 23 |
| D01_3_99994 - CLUTCH..... | 25 |
| D01_4_124744 - CLUTCH..... | 27 |
| D.01.02.A0019_05 - CLUTCH..... | 29 |
| D.01.02.A0019_06 - CLUTCH..... | 31 |
| D.01.02.A0051_07 - CLUTCH..... | 33 |
| E02_0_48548 - GEARBOX..... | 35 |
| E02_1_71669 - GEARBOX..... | 38 |
| E02_2_141477 - GEARBOX..... | 41 |
| F03_0_48685 - GEARS..... | 44 |
| F03_1_71705 - GEARS..... | 47 |
| F03_2_142549 - GEARS..... | 50 |
| F.03.02.A0019_03 - GEARS (620M-630M-630WSM)..... | 53 |
| F.03.02.A0019_04 - GEARS (620M-630M-630WSM)..... | 56 |
| G01_0_48726 - WHEEL AXLE..... | 59 |
| F.03.02.A0019_05 - GEARS (620M-630M-630WSM)..... | 61 |
| G02_0_48741 - DIFFERENTIAL..... | 64 |
| G02_1_100063 - DIFFERENTIAL..... | 66 |
| G02_2_142592 - DIFFERENTIAL..... | 69 |
| H02_0_48882 - STEERING COLUMN..... | 71 |
| H02_1_114886 - STEERING COLUMN..... | 74 |



| | |
|---|-----|
| H02_2_141810 - STEERING COLUMN..... | 77 |
| I03_0_49043 - HANDLEBAR..... | 80 |
| I03_1_51910 - HANDLEBAR (630M)..... | 83 |
| I03_2_66041 - HANDLEBAR (630M)..... | 86 |
| I03_3_124821 - HANDLEBAR (630M)..... | 89 |
| I03_4_142023 - HANDLEBAR..... | 92 |
| J02_0_49228 - CONTROLS..... | 95 |
| J02_1_71787 - CONTROLS..... | 97 |
| J02_2_142213 - CONTROLS..... | 100 |
| J.02.02.A0019_03 - J02_03 - CONTROLS..... | 103 |
| J05_0_142286 - HANDLEBARCONTROLS..... | 106 |
| K01_1_142487 - BRAKES..... | 108 |
| L01_0_49309 - WHEELS..... | 110 |
| L01_1_60132 - WHEELS..... | 113 |
| L01_2_100224 - WHEELS..... | 116 |
| M01_1_71870 - STICKERS..... | 119 |
| L01_3_142628 - WHEELS..... | 121 |
| M01_2_115232 - STICKERS..... | 124 |
| M01_0_49361 - STICKERS..... | 126 |
| M01_3_150907 - STICKERS..... | 128 |
| M.01.02.A0019_04 - STICKERS..... | 130 |
| M02_0_49377 - STICKERS..... | 132 |
| M02_1_71887 - STICKERS..... | 134 |
| M02_2_115061 - STICKERS..... | 136 |
| M02_3_150939 - STICKERS..... | 138 |





600 serie MAX

**CARROZZERIA
(620M - 630M - 630WS MAX - WS MUSTER)**
BODY
CARROCERÍA

CARROSSERIE
KAROSSE

DALLA MACCHINA
DE LA MAQUINA
DE LA MACHINE
FROM THE MACHINE
AB DER MASCHINE
N.

C02 0
Rev.
09/2004



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX


C02_0_48457 - BODY

01/09/2021

Page 7 / 139

| Pos. | Id | | Q.ty | Description | Note |
|----------|----------|--|------|--------------------------------|------|
| 30000629 | 30000629 | | 1 | CABLE GLAND 80/110/30 | |
| 31111151 | 31111151 | | 1 | SCREW TE M8X16 UNI 5739 8G | |
| 31111164 | 31111164 | | 1 | SCREW TE M8X90 UNI 5737 8G | |
| 31112154 | 31112154 | | 1 | SCREW TE M8X40 UNI 5739 8G | |
| 31112213 | 31112213 | | 1 | SCREW TE M10X40 UNI 5739 | |
| 31121005 | 31121005 | | 1 | SCREW TBCEI FLANG. M6X25 | |
| 31241080 | 31241080 | | 1 | HEXAGON SELFLOCK NUT M8 | |
| 31241100 | 31241100 | | 1 | SELFLOCK HEXAGON NUT M10 | |
| 31411084 | 31411084 | | 1 | WASHER 8,4x17 | |
| 31411104 | 31411104 | | 1 | WASHER 10,5x18 | |
| 31423084 | 31423084 | | 1 | SPRING WASHER 8,4 | |
| 55256412 | 55256412 | | 1 | BODYWORK | |
| 55257500 | 55257500 | | 1 | BODYWORK | |
| 55257501 | 55257501 | | 1 | SMALL COVER | |
| 55257502 | 55257502 | | 1 | FIN | |
| 55257503 | 55257503 | | 1 | FIN | |
| 56156119 | 56156119 | | 1 | SHIELD | |
| 56157507 | 56157507 | | 1 | HOLDER | |
| 58056889 | 58056889 | | 1 | RETAINING SPRING | |
| 58156120 | 58156120 | | 1 | CONT.ACT340 REFORM 800.009.124 | |
| 59047450 | 59047450 | | 1 | SHIELD | |
| 59047463 | 59047463 | | 1 | ENGINE PROTECTION | |
| 59047927 | 59047927 | | 1 | SHIELD | |
| 59056051 | 59056051 | | 1 | SHIELD | |
| 59056089 | 59056089 | | 1 | SHIELD | |
| 59056111 | 59056111 | | 1 | SHIELD | |
| 59057504 | 59057504 | | 1 | HOLDER | |
| 59057510 | 59057510 | | 1 | BODYWORK | |





600 serie MAX

**CARROZZERIA
(620M-630M-630WS MAX-WS MUSTER)**
BODY
CARROCERÍA

CARROSSERIE
KAROSSEERIE

DALLA MACCHINA
DE LA MAQUINA
DE LA MACHINE
FROM THE MACHINE
AB DER MASCHINE
ON.

AGGIORNAMENTO
REVISION
MISE A JOUR
APLIZAMIENTO
ANPASSUNG

C02 1
07/2006



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX


C02_1_68561 - BODY

01/09/2021

Page 9 / 139

| Pos. | Id | | Q.ty | Description | Note |
|----------|----------|--|------|--------------------------------|------|
| 30000629 | 30000629 | | 1 | CABLE GLAND 80/110/30 | |
| 31111151 | 31111151 | | 1 | SCREW TE M8X16 UNI 5739 8G | |
| 31111164 | 31111164 | | 1 | SCREW TE M8X90 UNI 5737 8G | |
| 31112154 | 31112154 | | 1 | SCREW TE M8X40 UNI 5739 8G | |
| 31112213 | 31112213 | | 1 | SCREW TE M10X40 UNI 5739 | |
| 31121005 | 31121005 | | 1 | SCREW TBCEI FLANG. M6X25 | |
| 31241080 | 31241080 | | 1 | HEXAGON SELFLOCK NUT M8 | |
| 31241100 | 31241100 | | 1 | SELFLOCK HEXAGON NUT M10 | |
| 31411084 | 31411084 | | 1 | WASHER 8,4x17 | |
| 31411104 | 31411104 | | 1 | WASHER 10,5x18 | |
| 31423084 | 31423084 | | 1 | SPRING WASHER 8,4 | |
| 55256412 | 55256412 | | 1 | BODYWORK | |
| 55257500 | 55257500 | | 1 | BODYWORK | |
| 55257501 | 55257501 | | 1 | SMALL COVER | |
| 55257502 | 55257502 | | 1 | FIN | |
| 55257503 | 55257503 | | 1 | FIN | |
| 56156119 | 56156119 | | 1 | SHIELD | |
| 56157507 | 56157507 | | 1 | HOLDER | |
| 58056889 | 58056889 | | 1 | RETAINING SPRING | |
| 58156120 | 58156120 | | 1 | CONT.ACT340 REFORM 800.009.124 | |
| 59047450 | 59047450 | | 1 | SHIELD | |
| 59047463 | 59047463 | | 1 | ENGINE PROTECTION | |
| 59047927 | 59047927 | | 1 | SHIELD | |
| 59056051 | 59056051 | | 1 | SHIELD | |
| 59056089 | 59056089 | | 1 | SHIELD | |
| 59056111 | 59056111 | | 1 | SHIELD | |
| 59057504 | 59057504 | | 1 | HOLDER | |
| 59057510 | 59057510 | | 1 | BODYWORK | |





BCS Motor mowers, BCS 2-wheel tractors - 630 MAX


C02_2_99907 - BODY

01/09/2021

Page 11 / 139

| Pos. | Id | | Q.ty | Description | Note |
|----------|----------|--|------|--------------------------------|------|
| 31111151 | 31111151 | | 1 | SCREW TE M8X16 UNI 5739 8G | |
| 31111164 | 31111164 | | 1 | SCREW TE M8X90 UNI 5737 8G | |
| 31112154 | 31112154 | | 1 | SCREW TE M8X40 UNI 5739 8G | |
| 31112213 | 31112213 | | 1 | SCREW TE M10X40 UNI 5739 | |
| 31121005 | 31121005 | | 1 | SCREW TBCEI FLANG. M6X25 | |
| 31241080 | 31241080 | | 1 | HEXAGON SELFLOCK NUT M8 | |
| 31241100 | 31241100 | | 1 | SELFLOCK HEXAGON NUT M10 | |
| 31411084 | 31411084 | | 1 | WASHER 8,4x17 | |
| 31411104 | 31411104 | | 1 | WASHER 10,5x18 | |
| 31423084 | 31423084 | | 1 | SPRING WASHER 8,4 | |
| 55256416 | 55256416 | | 1 | BODYWORK | |
| 55257500 | 55257500 | | 1 | BODYWORK | |
| 55257501 | 55257501 | | 1 | SMALL COVER | |
| 55257502 | 55257502 | | 1 | FIN | |
| 55257503 | 55257503 | | 1 | FIN | |
| 56156119 | 56156119 | | 1 | SHIELD | |
| 56157507 | 56157507 | | 1 | HOLDER | |
| 58056889 | 58056889 | | 1 | RETAINING SPRING | |
| 58056991 | 58056991 | | 1 | CABLE GLAND 90/200/30 | |
| 58156120 | 58156120 | | 1 | CONT.ACT340 REFORM 800.009.124 | |
| 59047450 | 59047450 | | 1 | SHIELD | |
| 59047463 | 59047463 | | 1 | ENGINE PROTECTION | |
| 59047927 | 59047927 | | 1 | SHIELD | |
| 59056051 | 59056051 | | 1 | SHIELD | |
| 59056089 | 59056089 | | 1 | SHIELD | |
| 59056111 | 59056111 | | 1 | SHIELD | |
| 59057504 | 59057504 | | 1 | HOLDER | |
| 59057510 | 59057510 | | 1 | BODYWORK | |





| | | | | | | |
|------------|----------------------|--|--|--|------------|------------------------|
| BCS | 600 serie MAX | CARROZZERIA (620M-630M-630WS MAX-WS MUSTER) | DALLA MACCHINA DE LA MAQUINA DE LA MACHINE FROM THE MACHINE AB DER MASCHINE | AGGIORNAMENTO REVISION MISE A JOUR APLAZAMIENTO ANPASSUNG | C02 | <small>Rev. 3</small> |
| | | <small>BODY CARROCERÍA</small> | <small>CARROSERIE KAROSSEERIE</small> | ON. | | <small>03/2010</small> |



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

C02_3_124709 - BODY

01/09/2021


Page 13 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|--------------------------------|------|
| 31111151 | 31111151 | 1 | SCREW TE M8X16 UNI 5739 8G | |
| 31111164 | 31111164 | 1 | SCREW TE M8X90 UNI 5737 8G | |
| 31112081 | 31112081 | 1 | SCREW TE C/F M6X20 DIN 6921 8G | |
| 31112084 | 31112084 | 1 | SCREW TE C/F M6X14 DIN 6921 8G | |
| 31112154 | 31112154 | 1 | SCREW TE M8X40 UNI 5739 8G | |
| 31112213 | 31112213 | 1 | SCREW TE M10X40 UNI 5739 | |
| 31121005 | 31121005 | 1 | SCREW TBCEI FLANG. M6X25 | |
| 31241065 | 31241065 | 1 | SELFLOCK NUT M6 | |
| 31241080 | 31241080 | 1 | HEXAGON SELFLOCK NUT M8 | |
| 31241100 | 31241100 | 1 | SELFLOCK HEXAGON NUT M10 | |
| 31411084 | 31411084 | 1 | WASHER 8,4x17 | |
| 31411104 | 31411104 | 1 | WASHER 10,5x18 | |
| 31423084 | 31423084 | 1 | SPRING WASHER 8,4 | |
| 55256416 | 55256416 | 1 | BODYWORK | |
| 55257500 | 55257500 | 1 | BODYWORK | |
| 55257501 | 55257501 | 1 | SMALL COVER | |
| 55257502 | 55257502 | 1 | FIN | |
| 55257503 | 55257503 | 1 | FIN | |
| 56156119 | 56156119 | 1 | SHIELD | |
| 56157507 | 56157507 | 1 | HOLDER | |
| 56157555 | 56157555 | 1 | TUBE | |
| 58056889 | 58056889 | 1 | RETAINING SPRING | |
| 58056991 | 58056991 | 1 | CABLE GLAND 90/200/30 | |
| 58156120 | 58156120 | 1 | CONT.ACT340 REFORM 800.009.124 | |
| 58156135 | 58156135 | 1 | PUMP | |
| 59047450 | 59047450 | 1 | SHIELD | |
| 59047463 | 59047463 | 1 | ENGINE PROTECTION | |
| 59047927 | 59047927 | 1 | SHIELD | |
| 59056051 | 59056051 | 1 | SHIELD | |



| Pos. | Id | Q.ty | Description | Note |
|-----------|-----------|------|-------------|------|
| 59056089 | 59056089 | 1 | SHIELD | |
| 59056111 | 59056111 | 1 | SHIELD | |
| 59057504 | 59057504 | 1 | HOLDER | |
| 59057510 | 59057510 | 1 | BODYWORK | |
| 56156134H | 56156134H | 1 | CONNECTION | |





(1)ERRATA CORRIGE

| | | | | | | |
|------------|----------------------|--|--|--|------------|-------------------|
| BCS | 600 serie MAX | CARROZZERIA (620M-630M-630WS MAX-WS MUSTER) | DALLA MACCHINA DE LA MAQUINA DE LA MACHINA FROM THE MACHINE AB DER MASCHINE | AGGIORNAMENTO REVISION MISE A JOUR APLAZAMIENTO ANPASSUNG | C02 | Rev. 4 |
| | | BODY | CARROSSERIE | ★ N. | | 09/2010 |

BCS - Scalo 1:6



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

C02_4_141396 - BODY

01/09/2021


Page 16 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|--------------------------------|------|
| 31111151 | 31111151 | 1 | SCREW TE M8X16 UNI 5739 8G | |
| 31111164 | 31111164 | 1 | SCREW TE M8X90 UNI 5737 8G | |
| 31112081 | 31112081 | 1 | SCREW TE C/F M6X20 DIN 6921 8G | |
| 31112084 | 31112084 | 1 | SCREW TE C/F M6X14 DIN 6921 8G | |
| 31112150 | 31112150 | 1 | SCREW TE M8X20 UNI 5739 8G | |
| 31112154 | 31112154 | 1 | SCREW TE M8X40 UNI 5739 8G | |
| 31112213 | 31112213 | 1 | SCREW TE M10X40 UNI 5739 | |
| 31241065 | 31241065 | 1 | SELFLOCK NUT M6 | |
| 31241084 | 31241084 | 1 | SELFLOCK NUT M8 6S | |
| 31241100 | 31241100 | 1 | SELFLOCK HEXAGON NUT M10 | |
| 31411084 | 31411084 | 1 | WASHER 8,4x17 | |
| 31411104 | 31411104 | 1 | WASHER 10,5x18 | |
| 31421083 | 31421083 | 1 | WASHER | |
| 31423084 | 31423084 | 1 | SPRING WASHER 8,4 | |
| 55256416 | 55256416 | 1 | BODYWORK | |
| 55257500 | 55257500 | 1 | BODYWORK | |
| 55257501 | 55257501 | 1 | SMALL COVER | |
| 55257502 | 55257502 | 1 | FIN | |
| 55257503 | 55257503 | 1 | FIN | |
| 56156119 | 56156119 | 1 | SHIELD | |
| 56157507 | 56157507 | 1 | HOLDER | |
| 56157555 | 56157555 | 1 | TUBE | |
| 58056889 | 58056889 | 1 | RETAINING SPRING | |
| 58056991 | 58056991 | 1 | CABLE GLAND 90/200/30 | |
| 58156120 | 58156120 | 1 | CONT.ACT340 REFORM 800.009.124 | |
| 58156135 | 58156135 | 1 | PUMP | |
| 59047450 | 59047450 | 1 | SHIELD | |
| 59047463 | 59047463 | 1 | ENGINE PROTECTION | |
| 59047927 | 59047927 | 1 | SHIELD | |




| Pos. | Id | Q.ty | Description | Note |
|-----------|-----------|------|-------------|------|
| 59056051 | 59056051 | 1 | SHIELD | |
| 59056089 | 59056089 | 1 | SHIELD | |
| 59056111 | 59056111 | 1 | SHIELD | |
| 59057504 | 59057504 | 1 | HOLDER | |
| 59057510 | 59057510 | 1 | BODYWORK | |
| 56156134H | 56156134H | 1 | CONNECTION | |





| MOTORE | FRIZIONE |
|---------------------------------|-------------|
| ENGINE | EMBRAGUE |
| MOTEUR | EMBRAYAGE |
| MOTOR | KUPPLUNG |
| MOTOR | CLUTCH |
| Acme A220 | A 592.47884 |
| Acme A220 (REF.) | 592.56255 |
| Acme ACT 280 - A349 - A360 | 592.47884 |
| Acme ACT 340 | 592.47971 |
| Briggs & Stratton 9 Hp Vanguard | 592.56253 |
| Honda Gx 390-Gx340 | 592.56257 |
| Honda G150 - Gx 120 / 160 / 200 | 592.56265 |
| Lombardini 15LD315 / 350 | 592.47884 |
| Lombardini 6LD435 / 400 | 592.47971 |
| Yanmar L100AE | 592.47971 |

(HONDA Gx 390-Gx340 - B&S VANGUARD) 563.49782
(HONDA G150 - Gx120/160/200) 563.56165



| | | | | |
|------------|----------------------|---------------------------------------|-----------------------|------------|
| BCS | 600 serie MAX | FRIZIONE A CONO AUTOVENTILANTE | DALLA MACCHINA | D01 |
| | | CLUTCH | DE LA MACQUINA | Rev. 0 |
| | | EMBRAGUE | DE LA MACHINE | |
| | | | FROM THE MACHINE | |
| | | | AB DER MASCHINE | |
| | | | N. | |
| | | | | 09/2004 |



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX


D01_0_48486 - CLUTCH

01/09/2021

Page 19 / 139


| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|----------------------------------|------|
| 31100003 | 31100003 | 1 | SCREW TE 5/16X7/8 | |
| 31100015 | 31100015 | 1 | SCREW TE 3/8X1 | |
| 31100786 | 31100786 | 1 | SCREW STEI M8X30 UNI5923 8G G RZ | |
| 31211080 | 31211080 | 1 | NUT M8 | |
| 31312083 | 31312083 | 1 | STUD BOLT M8X46X16X16 | |
| 31312088 | 31312088 | 1 | STUD BOLT M8X40X14X14 | |
| 31423084 | 31423084 | 1 | SPRING WASHER 8,4 | |
| 31423105 | 31423105 | 1 | SPRING WASHER 10,5 | |
| 37112173 | 37112173 | 1 | BEARING 6203 DDU7C3EX26 NSK | |
| 37112231 | 37112231 | 1 | BEARING 6204-2RS1 C3 SKF | |
| 37112233 | 37112233 | 1 | BEARING 6006-2RS1 C3 SKF | |
| 50956262 | 50956262 | 1 | CLUTCH LEVER | |
| 52447896 | 52447896 | 1 | PRESSURE PLATE | |
| 53156150 | 53156150 | 1 | ENGINE FLANGE B&S 8HP I/P | |
| 53247488 | 53247488 | 1 | ENGINE FLANGE H=21 | |
| 55147842 | 55147842 | 1 | BELLOWS | |
| 55157609 | 55157609 | 1 | BELLOWS | |
| 56147845 | 56147845 | 1 | CLUTCH LEVER | |
| 56347484 | 56347484 | 1 | SHIM | |
| 56349782 | 56349782 | 1 | DOWEL | |
| 56356165 | 56356165 | 1 | DOWEL | |
| 56356251 | 56356251 | 1 | SHIM D=19,6 | |
| 59247884 | 59247884 | 1 | CLUTCH ASSY | |
| 59247971 | 59247971 | 1 | CLUTCH | |
| 59256253 | 59256253 | 1 | CLUTCH ASSY | |
| 59256255 | 59256255 | 1 | CLUTCH ASSY | |
| 59256257 | 59256257 | 1 | CLUTCH ASSY | |
| 59256265 | 59256265 | 1 | CLUTCH ASSY | |





| MOTORE ENGINE MOTEUR MOTOR MOTOR | FRIZIONE CLUTCH A EMBRAYAGE EMBRAGUE KUPPLUNG |
|--|---|
| Acme A220 | 59247884 |
| Acme A220 (REF.) | 59256255 |
| Acme ACT 280 - A349 - A360 | 59247884 |
| Acme ACT 340 | 59247971 |
| Briggs & Stratton 9 Hp Vanguard D=25,4 | 59256279 0 (1) |
| Honda Gx 390 - Gx 340 D=25,4 | 59256280 0 (2) |
| Honda Gx 240 / 270 D=25,4 | 59256279 |
| Honda G150 - Gx120 / 160 / 200 D=19 | 59256275 0 (3) |
| Lombardini 15LD315 / 350 | 59247884 |
| Lombardini 6LD435 / 400 | 59247971 |
| Yanmar L100AE | 59247971 |

(3) sostituisce 59256265
 (2) sostituisce 59256257
 (1) sostituisce 59256253



NON SMONTARE MAI LA FRIZIONE
 NEVER DISASSEMBLE THE CLUTCH
 NE DEMONTER JAMAIS L'EMBRAYAGE
 NIEMALS DIE KUPPLUNG AUSBAUEN
 NO DESMONTAR JAMAS EL EMBRAGUE

| | | | | | | | |
|------------|----------------------|---|------------------------------|---|---|------------|-----------|
| BCS | 600 serie MAX | FRIZIONE A CONO AUTOVENTILANTE CLUTCH EMBRAGUE | EMBRAYAGE KUPPLUNG | DALLA MACCHINA DE LA MAQUINA DE LA MACHINE FROM THE MACHINE AB DER MASCHINE ON. | CHIEDERE A S.A.T. ASK TO S.A.T. DEMANDER Á S.A.T. SOLICITAR EL S.A.T. ANFRAGEN DER S.A.T. | D01 | Rev. 1 |
| | | | | | | 11/2006 | ZENE |



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX


D01_1_60103 - CLUTCH

01/09/2021

Page 21 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-----------------------------|------|
| 31100003 | 31100003 | 1 | SCREW TE 5/16X7/8 | |
| 31100015 | 31100015 | 1 | SCREW TE 3/8X1 | |
| 31211080 | 31211080 | 1 | NUT M8 | |
| 31312083 | 31312083 | 1 | STUD BOLT M8X46X16X16 | |
| 31312088 | 31312088 | 1 | STUD BOLT M8X40X14X14 | |
| 31423084 | 31423084 | 1 | SPRING WASHER 8,4 | |
| 31423105 | 31423105 | 1 | SPRING WASHER 10,5 | |
| 37112173 | 37112173 | 1 | BEARING 6203 DDU7C3EX26 NSK | |
| 37112231 | 37112231 | 1 | BEARING 6204-2RS1 C3 SKF | |
| 37112233 | 37112233 | 1 | BEARING 6006-2RS1 C3 SKF | |
| 50956262 | 50956262 | 1 | CLUTCH LEVER | |
| 52447896 | 52447896 | 1 | PRESSURE PLATE | |
| 53156150 | 53156150 | 1 | ENGINE FLANGE B&S 8HP I/P | |
| 53247488 | 53247488 | 1 | ENGINE FLANGE H=21 | |
| 55147842 | 55147842 | 1 | BELLOWS | |
| 55157609 | 55157609 | 1 | BELLOWS | |
| 56147845 | 56147845 | 1 | CLUTCH LEVER | |
| 56156276 | 56156276 | 1 | SLEEVE D.19 | |
| 56156281 | 56156281 | 1 | CENTRING BUSH D.25,4 | |
| 56347484 | 56347484 | 1 | SHIM | |
| 56356251 | 56356251 | 1 | SHIM D=19,6 | |
| 59247884 | 59247884 | 1 | CLUTCH ASSY | |
| 59247971 | 59247971 | 1 | CLUTCH | |
| 59256255 | 59256255 | 1 | CLUTCH ASSY | |
| 59256275 | 59256275 | 1 | CLUTCH ASSY | |
| 59256279 | 59256279 | 1 | CLUTCH ASSY | |
| 59256280 | 59256280 | 1 | CLUTCH ASSY | |





| | | | | | | | |
|------------|----------------------|---|-----------------------|---|------------|------------|-----------|
| BCS | 600 serie MAX | FRIZIONE A CONO AUTOVENTILANTE CLUTCH EMBRAGUE | EMBRAYAGE KUPPLUNG | DALLA MACCHINA DE LA MAQUINA DE LA MACHINE FROM THE MACHINE AB DER MASCHINE ON. | (1) 779324 | D01 | Rev. 2 |
| | | | | | (2) 779519 | 11/2006 | ZENE |



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX


D01_2_68590 - CLUTCH

01/09/2021

Page 23 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-----------------------------|------|
| 31100003 | 31100003 | 1 | SCREW TE 5/16X7/8 | |
| 31100015 | 31100015 | 1 | SCREW TE 3/8X1 | |
| 31211080 | 31211080 | 1 | NUT M8 | |
| 31241080 | 31241080 | 1 | HEXAGON SELFLOCK NUT M8 | |
| 31312083 | 31312083 | 1 | STUD BOLT M8X46X16X16 | |
| 31312088 | 31312088 | 1 | STUD BOLT M8X40X14X14 | |
| 31423084 | 31423084 | 1 | SPRING WASHER 8,4 | |
| 31423105 | 31423105 | 1 | SPRING WASHER 10,5 | |
| 37112173 | 37112173 | 1 | BEARING 6203 DDU7C3EX26 NSK | |
| 50956262 | 50956262 | 1 | CLUTCH LEVER | |
| 52447896 | 52447896 | 1 | PRESSURE PLATE | |
| 53156150 | 53156150 | 1 | ENGINE FLANGE B&S 8HP I/P | |
| 53247488 | 53247488 | 1 | ENGINE FLANGE H=21 | |
| 55147842 | 55147842 | 1 | BELLOWS | |
| 55157609 | 55157609 | 1 | BELLOWS | |
| 56147845 | 56147845 | 1 | CLUTCH LEVER | |
| 56156276 | 56156276 | 1 | SLEEVE D.19 | |
| 56156281 | 56156281 | 1 | CENTRING BUSH D.25,4 | |
| 56156284 | 56156284 | 1 | SPACER D19 | |
| 56156285 | 56156285 | 1 | SPACER D25 | |
| 59247884 | 59247884 | 1 | CLUTCH ASSY | |
| 59247924 | 59247924 | 1 | CLUTCH | |
| 59247971 | 59247971 | 1 | CLUTCH | |
| 59256255 | 59256255 | 1 | CLUTCH ASSY | |
| 59256275 | 59256275 | 1 | CLUTCH ASSY | |
| 59256279 | 59256279 | 1 | CLUTCH ASSY | |
| 59256280 | 59256280 | 1 | CLUTCH ASSY | |





| | | | | | | | |
|------------|----------------------|---|------------------------------|---|---|----------------|-----------|
| BCS | 600 serie MAX | FRIZIONE A CONO AUTOVENTILANTE CLUTCH EMBRAGUE | EMBRAYAGE KUPPLUNG | DALLA MACCHINA DE LA MAQUINA DE LA MACHINE FROM THE MACHINE AB DER MASCHINE ON. | AGGIORNAMENTO REVISION MISE A JOUR APLAMIENTO ANPASSUNG | D01 | Rev. 3 |
| | | | | | | 01/2009 | ZENE |



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX


D01_3_99994 - CLUTCH

01/09/2021

Page 25 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-----------------------------|------|
| 31100003 | 31100003 | 1 | SCREW TE 5/16X7/8 | |
| 31100015 | 31100015 | 1 | SCREW TE 3/8X1 | |
| 31211080 | 31211080 | 1 | NUT M8 | |
| 31241080 | 31241080 | 1 | HEXAGON SELFLOCK NUT M8 | |
| 31312083 | 31312083 | 1 | STUD BOLT M8X46X16X16 | |
| 31312088 | 31312088 | 1 | STUD BOLT M8X40X14X14 | |
| 31423084 | 31423084 | 1 | SPRING WASHER 8,4 | |
| 31423105 | 31423105 | 1 | SPRING WASHER 10,5 | |
| 37112173 | 37112173 | 1 | BEARING 6203 DDU7C3EX26 NSK | |
| 50956262 | 50956262 | 1 | CLUTCH LEVER | |
| 52447896 | 52447896 | 1 | PRESSURE PLATE | |
| 53156150 | 53156150 | 1 | ENGINE FLANGE B&S 8HP I/P | |
| 53247488 | 53247488 | 1 | ENGINE FLANGE H=21 | |
| 55147842 | 55147842 | 1 | BELLOWS | |
| 55157609 | 55157609 | 1 | BELLOWS | |
| 56147845 | 56147845 | 1 | CLUTCH LEVER | |
| 56156276 | 56156276 | 1 | SLEEVE D.19 | |
| 56156281 | 56156281 | 1 | CENTRING BUSH D.25,4 | |
| 56156284 | 56156284 | 1 | SPACER D19 | |
| 56156285 | 56156285 | 1 | SPACER D25 | |
| 59247884 | 59247884 | 1 | CLUTCH ASSY | |
| 59247924 | 59247924 | 1 | CLUTCH | |
| 59247971 | 59247971 | 1 | CLUTCH | |
| 59256275 | 59256275 | 1 | CLUTCH ASSY | |
| 59256279 | 59256279 | 1 | CLUTCH ASSY | |
| 59256280 | 59256280 | 1 | CLUTCH ASSY | |
| 59256295 | 59256295 | 1 | CLUTCH ASSY | |





600 serie **MAX**

FRIZIONE A CONO AUTOVENTILANTE

CLUTCH
EMBRAGUE

EMBRAYAGE
KUPPLUNG

DALLA MACCHINA
DE LA MAQUINA
DE LA MACHINE
FROM THE MACHINE
AB DER MASCHINE
ON.

AGGIORNAMENTO
REVISION
MISE A JOUR
APLAMIENTO
ANPASSUNG

D01
03/2010

Rev.
4
ZENE



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX


D01_4_124744 - CLUTCH

01/09/2021

Page 27 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-----------------------------|------|
| 31100003 | 31100003 | 1 | SCREW TE 5/16X7/8 | |
| 31100015 | 31100015 | 1 | SCREW TE 3/8X1 | |
| 31211080 | 31211080 | 1 | NUT M8 | |
| 31241080 | 31241080 | 1 | HEXAGON SELFLOCK NUT M8 | |
| 31312083 | 31312083 | 1 | STUD BOLT M8X46X16X16 | |
| 31312088 | 31312088 | 1 | STUD BOLT M8X40X14X14 | |
| 31423084 | 31423084 | 1 | SPRING WASHER 8,4 | |
| 31423105 | 31423105 | 1 | SPRING WASHER 10,5 | |
| 37112173 | 37112173 | 1 | BEARING 6203 DDU7C3EX26 NSK | |
| 50956262 | 50956262 | 1 | CLUTCH LEVER | |
| 52447896 | 52447896 | 1 | PRESSURE PLATE | |
| 53156150 | 53156150 | 1 | ENGINE FLANGE B&S 8HP I/P | |
| 53247488 | 53247488 | 1 | ENGINE FLANGE H=21 | |
| 55147842 | 55147842 | 1 | BELLOWS | |
| 55157609 | 55157609 | 1 | BELLOWS | |
| 56147845 | 56147845 | 1 | CLUTCH LEVER | |
| 56156276 | 56156276 | 1 | SLEEVE D.19 | |
| 56156281 | 56156281 | 1 | CENTRING BUSH D.25,4 | |
| 56156284 | 56156284 | 1 | SPACER D19 | |
| 56156285 | 56156285 | 1 | SPACER D25 | |
| 59247884 | 59247884 | 1 | CLUTCH ASSY | |
| 59247924 | 59247924 | 1 | CLUTCH | |
| 59247971 | 59247971 | 1 | CLUTCH | |
| 59256275 | 59256275 | 1 | CLUTCH ASSY | |
| 59256279 | 59256279 | 1 | CLUTCH ASSY | |
| 59256280 | 59256280 | 1 | CLUTCH ASSY | |
| 59256295 | 59256295 | 1 | CLUTCH ASSY | |






NON SMONTARE MAI LA FRIZIONE
NEVER DISASSEMBLE THE CLUTCH
NE DEMONTER JAMAIS L'EMBRAYAGE
NIEMALS DIE KUPPLUNG AUSBAUEN
NO DESMONTAR JAMAS EL EMBRAGUE

| Pos. | Id | Q.ty | Description | Note |
|------|----------|------|-----------------------------|--|
| 1 | 55157609 | 1 | BELLOWS | ELECTRIC STARTING |
| 2 | 55147842 | 1 | BELLOWS | RECOIL STARTER |
| 3 | 56147845 | 1 | CLUTCH LEVER | RECOIL STARTER |
| 4 | 50956262 | 1 | CLUTCH LEVER | ELECTRIC STARTING |
| 5 | 56156284 | 1 | SPACER D19 | |
| 5 | 56156285 | 1 | SPACER D25 | |
| 6 | 56156276 | 1 | SLEEVE D.19 | |
| 6 | 56156281 | 1 | CENTRING BUSH D.25,4 | |
| 7 | 37112173 | 1 | BEARING 6203 DDU7C3EX26 NSK | |
| 8 | 52447896 | 1 | PRESSURE PLATE | |
| 9 | 31312083 | 1 | STUD BOLT M8X46X16X16 | For motors EX21/LGA340/15LD350/L100AE/ACT340 |
| 9 | 31312088 | 1 | STUD BOLT M8X40X14X14 | For motors GX340/GX390/EX35 |
| 10 | 31423084 | 1 | SPRING WASHER 8,4 | |
| 11 | 31211080 | 1 | NUT M8 | |
| 11 | 31241080 | 1 | HEXAGON SELFLOCK NUT M8 | For engines with electric start |
| 12 | 31100003 | 1 | SCREW TE 5/16X7/8 | For motors GX120/GX160/GX200/EX21 |
| 12 | 31100015 | 1 | SCREW TE 3/8X1 | For motors GX240/GX270/GX340/GX390/EX27/EX35 |
| 13 | 31423105 | 1 | SPRING WASHER 10,5 | For motors GX240/GX270/GX340/GX390 |
| 14 | 53156150 | 1 | ENGINE FLANGE B&S 8HP I/P | For motors GX240/GX270/GX340/GX390/EX27/EX35 |
| 14 | 53247488 | 1 | ENGINE FLANGE H=21 | For motors GX120/GX160/GX200/EX21 |
| 15 | 59247884 | | CLUTCH ASSY | 15LD315/15LD350 - ACME A220/ACME ACT 280/A349/A360 - L70AE |
| 15 | 59247924 | | CLUTCH | 15LD500 |
| 15 | 59247971 | | CLUTCH | L100AE - ACT340 - LGA340 |
| 15 | 59256275 | | CLUTCH ASSY | GX160/GX200 - EX21 |
| 15 | 59256279 | | CLUTCH ASSY | GX240/GX270 - EX27 |
| 15 | 59256280 | | CLUTCH ASSY | GX340/GX390 - EX35 |
| 15 | 59256295 | | CLUTCH ASSY | A220 (REF.) |







 NON SMONTARE MAI LA FRIZIONE
 NEVER DISASSEMBLE THE CLUTCH
 NE DEMONTER JAMAIS L'EMBRAYAGE
 NIEMALS DIE KUPPLUNG AUSBAUEN
 NO DESMONTAR JAMAS EL EMBRAGUE

| Pos. | Id | Q.ty | Description | Note |
|------|----------|------|--------------------------------|---|
| 1 | 55157609 | | BELLOWS | ELECTRIC STARTING |
| 2 | 55156481 | | CLUTCH LEVER BELLOWS | Replaces 55147842 - RECOIL STARTER |
| 3 | 56147845 | | CLUTCH LEVER | RECOIL STARTER |
| 4 | 50956262 | | CLUTCH LEVER | ELECTRIC STARTING |
| 5 | 56156284 | | SPACER D19 | |
| 5 | 56156285 | | SPACER D25 | |
| 6 | 56156276 | | SLEEVE D.19 | |
| 6 | 56156281 | | CENTRING BUSH D.25,4 | |
| 7 | 37112173 | | BEARING 6203 DDU7C3EX26 NSK | |
| 8 | 524C1014 | | PRESSURE CONE | REPLACE 52447896 |
| 9 | 31312083 | | STUD BOLT M8X46X16X16 | |
| 10 | 31241083 | | SELFLOCK NUT M8 | Replaces 31211080 + 31423084 |
| 11 | 31100003 | | SCREW TE 5/16X7/8 | For engines GX120-GX160-GX200-EX21 |
| 11 | 31100015 | | SCREW TE 3/8X1 | For engines GX240-GX270-GX340-GX390-EX27-EX35 |
| 12 | 53156150 | | ENGINE FLANGE B&S 8HP I/P | For engines GX240-GX270-GX340-GX390-EX27-EX35 |
| 12 | 53247488 | | ENGINE FLANGE H=21 | For engines GX120-GX160-GX200-EX21 |
| 13 | 31423084 | | SPRING WASHER 8,4 | |
| 13 | 31423105 | | SPRING WASHER 10,5 | For engines GX240-GX270-GX340-GX390-EX27-EX35 |
| 14 | 59247489 | | CONIC CLUTCH D=23 1 CPL SPRING | REPLACES 59247884 - 15LD315/15LD350 - A220 - ACT280/A349/A360 - L70 - KD350 |
| 14 | 59247513 | | CONIC CLUTCH D=24 2 SPRINGS | REPLACES 59247924 - 15LD500 |
| 14 | 59247823 | | CONIC CLUTCH D=23,2 2 SPRINGS | REPLACES 59247971 - L100 - ACT340 - LGA340 - KD440 |
| 14 | 592C1010 | | CLUTCH D.19 Q(UP TO 9HP) | REPLACES 59256275 - GX120/GX160/GX200 - EX21 |
| 14 | 592C1011 | | COMPLETE CLUTCH D=25,4 9HP | REPLACES 59256275 - GX240/GX270 - EX27 |
| 14 | 592C1012 | | CONIC CLUTCH D=25,4 UP 9HP | REPLACES 59256280 - GX340/GX390 - EX35 |
| 14 | 592C1013 | | FRIZIONE C.TA 1 MOLLA SP. REF. | REPLACES 59256295 - A220 REFORM |





[Click for info](#)

★ = new part



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX


D.01.02.A0051_07 - CLUTCH

01/09/2021

Page 33 / 139

| Pos. | Id | Q.ty | Description | Note |
|------|----------|------|--------------------------------|---|
| 1 | 55157609 | | BELLOWS | ELECTRIC STARTING |
| 2 | 55156481 | | CLUTCH LEVER BELLOWS | Replaces 55147842 - RECOIL STARTER |
| 3 | 56147845 | | CLUTCH LEVER | RECOIL STARTER |
| 4 | 50956262 | | CLUTCH LEVER | ELECTRIC STARTING |
| 5 | 56156284 | | SPACER D19 | |
| 5 | 56156285 | | SPACER D25 | |
| 6 | 56156276 | | SLEEVE D.19 | |
| 6 | 56156281 | | CENTRING BUSH D.25,4 | |
| 7 | 37112173 | | BEARING 6203 DDU7C3EX26 NSK | |
| 8 | 524C1014 | | PRESSURE CONE | REPLACE 52447896 |
| 9 | 31312083 | | STUD BOLT M8X46X16X16 | |
| 10 | 31241083 | | SELFLOCK NUT M8 | Replaces 31211080 + 31423084 |
| 11 | 31100003 | | SCREW TE 5/16X7/8 | For engines GX120-GX160-GX200-EX21 |
| 11 | 31100015 | | SCREW TE 3/8X1 | For engines GX240-GX270-GX340-GX390-EX27-EX35 |
| 12 | 53156150 | | ENGINE FLANGE B&S 8HP I/P | For engines GX240-GX270-GX340-GX390-EX27-EX35 |
| 12 | 53247488 | | ENGINE FLANGE H=21 | For engines GX120-GX160-GX200-EX21 |
| 13 | 31423084 | | SPRING WASHER 8,4 | |
| 13 | 31423105 | | SPRING WASHER 10,5 | For engines GX240-GX270-GX340-GX390-EX27-EX35 |
| 14 | 59247489 | | CONIC CLUTCH D=23 1 CPL SPRING | REPLACES 59247884 - 15LD315/15LD350 - A220 - ACT280/A349/A360 - L70 - KD350 |
| 14 | 59247513 | | CONIC CLUTCH D=24 2 SPRINGS | REPLACES 59247924 - 15LD500 |
| 14 | 59247823 | | CONIC CLUTCH D=23,2 2 SPRINGS | REPLACES 59247971 - L100 - ACT340 - LGA340 - KD440 |
| 14 | 592C1010 | | CLUTCH D.19 Q(UP TO 9HP) | REPLACES 59256275 - GX120/GX160/GX200 - EX21 |
| 14 | 592C1011 | | COMPLETE CLUTCH D=25,4 9HP | REPLACES 59256275 - GX240/GX270 - EX27 |
| 14 | 592C1012 | | CONIC CLUTCH D=25,4 UP 9HP | REPLACES 59256280 - GX340/GX390 - EX35 |
| 14 | 592C1013 | | FRIZIONE C.TA 1 MOLLA SP. REF. | REPLACES 59256295 - A220 REFORM |
| 15 | 551C1033 | | GASKET | |





| | | | | | |
|------------|----------------------|---|---|------------|-----------|
| BCS | 600 serie MAX | SCATOLA CAMBIO (620M-630M-650M) GEARBOX CAJA DE CAMBIO | DALLA MACCHINA DE LA MAQUINA DE LA MACHINE FROM THE MACHINE AB DER MASCHINE N. | E02 | Rev. 0 |
| | | | | | 09/2004 |



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

E02_0_48548 - GEARBOX

01/09/2021

Page 35 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|------------------------------------|------|
| 30040001 | 30040001 | 1 | PLUG 1/4 UNI 364 | |
| 31111090 | 31111090 | 1 | SCREW TE M5X10 UNI 5739 8G | |
| 31112151 | 31112151 | 1 | SCREW TE M8X25 UNI 5739 8G | |
| 31112219 | 31112219 | 1 | SCREW TE M10X25 UNI 5739 | |
| 31152103 | 31152103 | 1 | SCREW TCEI M10X25 UNI 5931 | |
| 31221121 | 31221121 | 1 | NUT M12X1,25 | |
| 31241080 | 31241080 | 1 | HEXAGON SELFLOCK NUT M8 | |
| 31241085 | 31241085 | 1 | SELFLOCK NUT M8 6S | |
| 31312082 | 31312082 | 1 | STUD BOLT M8X38X14X20 | |
| 31312084 | 31312084 | 1 | STUD BOLT M8X58X16X16 | |
| 31312094 | 31312094 | 1 | STUD BOLT M8X68X14X36 | |
| 31312125 | 31312125 | 1 | STUD BOLT 64XM12X1,25X26XM12X30 8G | |
| 31421083 | 31421083 | 1 | WASHER | |
| 31421132 | 31421132 | 1 | WASHER 13X24X2,8 | |
| 31422064 | 31422064 | 1 | SPRING WASHER 6,4 | |
| 31423084 | 31423084 | 1 | SPRING WASHER 8,4 | |
| 38211500 | 38211500 | 1 | OIL SEAL 15X28X7 | |
| 53143875 | 53143875 | 1 | GEARBOX HOUSING COVER | |
| 53143879 | 53143879 | 1 | GEARBOX HOUSING COVER | |
| 53156326 | 53156326 | 1 | BODY | |
| 53156332 | 53156332 | 1 | REAR COVER | |
| 53156406 | 53156406 | 1 | BODY | |
| 53156407 | 53156407 | 1 | REAR COVER | |
| 53156408 | 53156408 | 1 | GEARBOX HOUSING COVER | |
| 55102678 | 55102678 | 1 | RUBBER RING | |
| 56147520 | 56147520 | 1 | COVER | |
| 56147923 | 56147923 | 1 | BRACKET | |
| 56156409 | 56156409 | 1 | COVER | |
| 56157606 | 56157606 | 1 | STOP | |



| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|------------------|------|
| 56157607 | 56157607 | 1 | SPACER | |
| 58043053 | 58043053 | 1 | CYLINDRICAL PLUG | |
| 58043117 | 58043117 | 1 | COVER GASKET | |
| 59015425 | 59015425 | 1 | PLUG | |




BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

E02_0_48548 - GEARBOX

01/09/2021

Page 37 / 139



600 serie MAX

SCATOLA CAMBIO (600M 0 - 620M - 630M - 650M)

GEARBOX
CAJA DE CAMBIO

BOITE DE VITESSES
WECHSELGETRIEBE

DALLA MACCHINA
DE LA MAQUINA
DE LA MACHINE
FROM THE MACHINE
AB DER MASCHINE
0 N.

| |
|---------------|
| AGGIORNAMENTO |
| REVISION |
| MISE A JOUR |
| APLAZAMIENTO |
| ANPASSUNG |

E02

Rev.
1

06/2006



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

E02_1_71669 - GEARBOX

01/09/2021


Page 38 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|------------------------------------|------|
| 30040001 | 30040001 | 1 | PLUG 1/4 UNI 364 | |
| 31111090 | 31111090 | 1 | SCREW TE M5X10 UNI 5739 8G | |
| 31112151 | 31112151 | 1 | SCREW TE M8X25 UNI 5739 8G | |
| 31112219 | 31112219 | 1 | SCREW TE M10X25 UNI 5739 | |
| 31152103 | 31152103 | 1 | SCREW TCEI M10X25 UNI 5931 | |
| 31221121 | 31221121 | 1 | NUT M12X1,25 | |
| 31241080 | 31241080 | 1 | HEXAGON SELFLOCK NUT M8 | |
| 31241085 | 31241085 | 1 | SELFLOCK NUT M8 6S | |
| 31312082 | 31312082 | 1 | STUD BOLT M8X38X14X20 | |
| 31312084 | 31312084 | 1 | STUD BOLT M8X58X16X16 | |
| 31312094 | 31312094 | 1 | STUD BOLT M8X68X14X36 | |
| 31312124 | 31312124 | 1 | STUD BOLT 52XM12X1,25X22XM12X22 8G | |
| 31312125 | 31312125 | 1 | STUD BOLT 64XM12X1,25X26XM12X30 8G | |
| 31421083 | 31421083 | 1 | WASHER | |
| 31421132 | 31421132 | 1 | WASHER 13X24X2,8 | |
| 31422064 | 31422064 | 1 | SPRING WASHER 6,4 | |
| 31423084 | 31423084 | 1 | SPRING WASHER 8,4 | |
| 38211500 | 38211500 | 1 | OIL SEAL 15X28X7 | |
| 53143875 | 53143875 | 1 | GEARBOX HOUSING COVER | |
| 53143879 | 53143879 | 1 | GEARBOX HOUSING COVER | |
| 53156326 | 53156326 | 1 | BODY | |
| 53156327 | 53156327 | 1 | BODY | |
| 53156332 | 53156332 | 1 | REAR COVER | |
| 53156406 | 53156406 | 1 | BODY | |
| 53156407 | 53156407 | 1 | REAR COVER | |
| 53156408 | 53156408 | 1 | GEARBOX HOUSING COVER | |
| 55102678 | 55102678 | 1 | RUBBER RING | |
| 56147520 | 56147520 | 1 | COVER | |
| 56147923 | 56147923 | 1 | BRACKET | |



| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|------------------|------|
| 56156409 | 56156409 | 1 | COVER | |
| 56157606 | 56157606 | 1 | STOP | |
| 56157607 | 56157607 | 1 | SPACER | |
| 58043053 | 58043053 | 1 | CYLINDRICAL PLUG | |
| 58043117 | 58043117 | 1 | COVER GASKET | |
| 59015425 | 59015425 | 1 | PLUG | |





600 serie MAX

SCATOLA CAMBIO (600M-620M-630M-650M)

GEARBOX

CAJA DE CAMBIO

BOITE DE VITESSES

WECHSELGETRIEBE

DALLA MACCHINA
DE LA MAQUINA
DE LA MACHINA
FROM THE MACHINE
AB DER MASCHINE

| |
|---------------|
| AGGIORNAMENTO |
| REVISION |
| MISE A JOUR |
| APLAZAMIENTO |
| ANPASSUNG |

★N.

E02

Rev.
DITE BCS - Scatola 14

09/2010



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

E02_2_141477 - GEARBOX

01/09/2021

Page 41 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|------------------------------------|------|
| 30040001 | 30040001 | 1 | PLUG 1/4 UNI 364 | |
| 31112083 | 31112083 | 1 | SCREW M6X12 | |
| 31112151 | 31112151 | 1 | SCREW TE M8X25 UNI 5739 8G | |
| 31112219 | 31112219 | 1 | SCREW TE M10X25 UNI 5739 | |
| 31152103 | 31152103 | 1 | SCREW TCEI M10X25 UNI 5931 | |
| 31221121 | 31221121 | 1 | NUT M12X1,25 | |
| 31241084 | 31241084 | 1 | SELFLOCK NUT M8 6S | |
| 31312082 | 31312082 | 1 | STUD BOLT M8X38X14X20 | |
| 31312084 | 31312084 | 1 | STUD BOLT M8X58X16X16 | |
| 31312094 | 31312094 | 1 | STUD BOLT M8X68X14X36 | |
| 31312124 | 31312124 | 1 | STUD BOLT 52XM12X1,25X22XM12X22 8G | |
| 31312125 | 31312125 | 1 | STUD BOLT 64XM12X1,25X26XM12X30 8G | |
| 31421132 | 31421132 | 1 | WASHER 13X24X2,8 | |
| 38211500 | 38211500 | 1 | OIL SEAL 15X28X7 | |
| 53143875 | 53143875 | 1 | GEARBOX HOUSING COVER | |
| 53143879 | 53143879 | 1 | GEARBOX HOUSING COVER | |
| 53156326 | 53156326 | 1 | BODY | |
| 53156327 | 53156327 | 1 | BODY | |
| 53156332 | 53156332 | 1 | REAR COVER | |
| 53156406 | 53156406 | 1 | BODY | |
| 53156407 | 53156407 | 1 | REAR COVER | |
| 53156408 | 53156408 | 1 | GEARBOX HOUSING COVER | |
| 55102678 | 55102678 | 1 | RUBBER RING | |
| 56147520 | 56147520 | 1 | COVER | |
| 56147923 | 56147923 | 1 | BRACKET | |
| 56156409 | 56156409 | 1 | COVER | |
| 56157606 | 56157606 | 1 | STOP | |
| 56157607 | 56157607 | 1 | SPACER | |
| 58043053 | 58043053 | 1 | CYLINDRICAL PLUG | |



| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|--------------|------|
| 58043117 | 58043117 | 1 | COVER GASKET | |
| 59015425 | 59015425 | 1 | PLUG | |




BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

E02_2_141477 - GEARBOX

01/09/2021

Page 43 / 139



| | | | | | |
|------------|----------------------|---|---|------------|-----------|
| BCS | 600 serie MAX | INGRANAGGI CAMBIO (620M - 630M - 630WSM - 650M - WS MUSTER) GEARS ENGRANAJES | DALLA MACCHINA DE LA MAQUINA DE LA MACHINE FROM THE MACHINE AB DER MASCHINE N. | F03 | Rev. 0 |
| | | | | 09/2004 | 2ENNE |



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

F03_0_48685 - GEARS

01/09/2021


Page 44 / 139

| Pos. | Id | | Q.ty | Description | Note |
|----------|----------|--|------|-----------------------------|------|
| 31112211 | 31112211 | | 1 | SCREW TE M10X30 UNI 5739 | |
| 31421101 | 31421101 | | 1 | WASHER 10 DIN 679 | |
| 34211042 | 34211042 | | 1 | ROLL PIN | |
| 34213060 | 34213060 | | 1 | ROLL PIN | |
| 34213061 | 34213061 | | 1 | ROLL PIN | |
| 35111053 | 35111053 | | 1 | SEEGER RING I 52 UNI 7438 | |
| 35111055 | 35111055 | | 1 | SEEGER RING I 55 DIN 472 | |
| 35121031 | 35121031 | | 1 | SEEGER RING E 30 UNI 7436 | |
| 35211120 | 35211120 | | 1 | SEEGER RING E 12 UNI 7434 | |
| 37111150 | 37111150 | | 1 | BEARING 6202 (15X35X11) | |
| 37111152 | 37111152 | | 1 | BEARING 6302 (15X42X13) SKF | |
| 37111250 | 37111250 | | 1 | BEARING | |
| 37112229 | 37112229 | | 1 | BEARING 6006 (30X55X13) SKF | |
| 37141250 | 37141250 | | 1 | BEARING 7205-B OBL SKF | |
| 37320120 | 37320120 | | 1 | ROLLER CAGE 12X15/10 | |
| 37910832 | 37910832 | | 1 | BALL 1/4 | |
| 38213800 | 38213800 | | 1 | OIL SEAL 38X55X7 | |
| 52456336 | 52456336 | | 1 | PTO SHAFT L=193 | |
| 52456340 | 52456340 | | 1 | SHAFT | |
| 52456341 | 52456341 | | 1 | SHAFT | |
| 52456349 | 52456349 | | 1 | GEAR SUPPORT | |
| 52456354 | 52456354 | | 1 | GEAR | |
| 52456360 | 52456360 | | 1 | SLIDER | |
| 52456362 | 52456362 | | 1 | COUPLING | |
| 52456370 | 52456370 | | 1 | SLIDER | |
| 52456389 | 52456389 | | 1 | LEVER | |
| 52456390 | 52456390 | | 1 | LEVER | |
| 56356328 | 56356328 | | 1 | ADJUSTING RING SP=1,5 | |
| 56356329 | 56356329 | | 1 | ADJUSTING RING SP=1,6 | |



| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-----------------------|------|
| 56356330 | 56356330 | 1 | ADJUSTING RING SP=1,7 | |
| 56356331 | 56356331 | 1 | ADJUSTING RING SP=1,8 | |
| 56356348 | 56356348 | 1 | ADJUSTING RING | |
| 56456347 | 56456347 | 1 | GEAR | |
| 56456351 | 56456351 | 1 | GEAR PIN | |
| 56456477 | 56456477 | 1 | SCREW 4 DS | |
| 56456478 | 56456478 | 1 | SCREW 2 | |
| 58043086 | 58043086 | 1 | SHOE | |
| 58056391 | 58056391 | 1 | SPRING | |
| 59056365 | 59056365 | 1 | PTO GEAR | |
| 59056383 | 59056383 | 1 | TRIPLE GEAR | |





| | | | | | | |
|------------|----------------------|---|--|--|----------------|------------------|
| BCS | 600 serie MAX | INGRANAGGI CAMBIO (600M0 - 620M - 630M - 630WSM - 650M - WS MUSTER) GEARS ENGRANAJES | DALLA MACCHINA DE LA MAQUINA DE LA MACHINE FROM THE MACHINE AB DER MASCHINE ON. | AGGIORNAMENTO REVISION MISE A JOUR APLIZAMIENTO ANPASSUNG | F03 | Rev. 1 |
| | | | | | 06/2006 | ZENE |



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

F03_1_71705 - GEARS

01/09/2021


Page 47 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-----------------------------|------|
| 31112211 | 31112211 | 1 | SCREW TE M10X30 UNI 5739 | |
| 31421101 | 31421101 | 1 | WASHER 10 DIN 679 | |
| 34211042 | 34211042 | 1 | ROLL PIN | |
| 34213060 | 34213060 | 1 | ROLL PIN | |
| 34213061 | 34213061 | 1 | ROLL PIN | |
| 35111053 | 35111053 | 1 | SEEGER RING I 52 UNI 7438 | |
| 35111055 | 35111055 | 1 | SEEGER RING I 55 DIN 472 | |
| 35121031 | 35121031 | 1 | SEEGER RING E 30 UNI 7436 | |
| 35211120 | 35211120 | 1 | SEEGER RING E 12 UNI 7434 | |
| 37111150 | 37111150 | 1 | BEARING 6202 (15X35X11) | |
| 37111152 | 37111152 | 1 | BEARING 6302 (15X42X13) SKF | |
| 37111250 | 37111250 | 1 | BEARING | |
| 37112229 | 37112229 | 1 | BEARING 6006 (30X55X13) SKF | |
| 37141250 | 37141250 | 1 | BEARING 7205-B OBL SKF | |
| 37320120 | 37320120 | 1 | ROLLER CAGE 12X15/10 | |
| 37910832 | 37910832 | 1 | BALL 1/4 | |
| 38213800 | 38213800 | 1 | OIL SEAL 38X55X7 | |
| 52456336 | 52456336 | 1 | PTO SHAFT L=193 | |
| 52456340 | 52456340 | 1 | SHAFT | |
| 52456341 | 52456341 | 1 | SHAFT | |
| 52456349 | 52456349 | 1 | GEAR SUPPORT | |
| 52456354 | 52456354 | 1 | GEAR | |
| 52456360 | 52456360 | 1 | SLIDER | |
| 52456362 | 52456362 | 1 | COUPLING | |
| 52456370 | 52456370 | 1 | SLIDER | |
| 52456389 | 52456389 | 1 | LEVER | |
| 52456390 | 52456390 | 1 | LEVER | |
| 56356328 | 56356328 | 1 | ADJUSTING RING SP=1,5 | |
| 56356329 | 56356329 | 1 | ADJUSTING RING SP=1,6 | |



| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-----------------------|------|
| 56356330 | 56356330 | 1 | ADJUSTING RING SP=1,7 | |
| 56356331 | 56356331 | 1 | ADJUSTING RING SP=1,8 | |
| 56356348 | 56356348 | 1 | ADJUSTING RING | |
| 56456347 | 56456347 | 1 | GEAR | |
| 56456351 | 56456351 | 1 | GEAR PIN | |
| 56456477 | 56456477 | 1 | SCREW 4 DS | |
| 56456478 | 56456478 | 1 | SCREW 2 | |
| 58043086 | 58043086 | 1 | SHOE | |
| 58056391 | 58056391 | 1 | SPRING | |
| 59056365 | 59056365 | 1 | PTO GEAR | |
| 59056383 | 59056383 | 1 | TRIPLE GEAR | |





(1) sostituisce (52456362 + 59056365)

| | | | | | |
|------------|----------------------|--|--|--------|-----------|
| BCS | 600 serie MAX | INGRANAGGI CAMBIO (600M-620M-630M-630WSM-650M-WS MUSTER) GEARS ENGRANAJES | DALLA MACCHINA DE LA MAQUINA DE LA MACHINE FROM THE MACHINE AB DER MASCHINE 0 N. | F03 | Rev. 2 |
| | | | | 879633 | 03/2011 |




| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-----------------------------|------|
| 31112211 | 31112211 | 1 | SCREW TE M10X30 UNI 5739 | |
| 31421101 | 31421101 | 1 | WASHER 10 DIN 679 | |
| 34211042 | 34211042 | 1 | ROLL PIN | |
| 34213060 | 34213060 | 1 | ROLL PIN | |
| 34213061 | 34213061 | 1 | ROLL PIN | |
| 35111053 | 35111053 | 1 | SEEGER RING I 52 UNI 7438 | |
| 35111055 | 35111055 | 1 | SEEGER RING I 55 DIN 472 | |
| 35121031 | 35121031 | 1 | SEEGER RING E 30 UNI 7436 | |
| 35211120 | 35211120 | 1 | SEEGER RING E 12 UNI 7434 | |
| 37111150 | 37111150 | 1 | BEARING 6202 (15X35X11) | |
| 37111152 | 37111152 | 1 | BEARING 6302 (15X42X13) SKF | |
| 37111250 | 37111250 | 1 | BEARING | |
| 37112229 | 37112229 | 1 | BEARING 6006 (30X55X13) SKF | |
| 37141250 | 37141250 | 1 | BEARING 7205-B OBL SKF | |
| 37320120 | 37320120 | 1 | ROLLER CAGE 12X15/10 | |
| 37910832 | 37910832 | 1 | BALL 1/4 | |
| 38213800 | 38213800 | 1 | OIL SEAL 38X55X7 | |
| 52456336 | 52456336 | 1 | PTO SHAFT L=193 | |
| 52456340 | 52456340 | 1 | SHAFT | |
| 52456341 | 52456341 | 1 | SHAFT | |
| 52456349 | 52456349 | 1 | GEAR SUPPORT | |
| 52456354 | 52456354 | 1 | GEAR | |
| 52456360 | 52456360 | 1 | SLIDER | |
| 52456362 | 52456362 | 1 | COUPLING | |
| 52456370 | 52456370 | 1 | SLIDER | |
| 52456389 | 52456389 | 1 | LEVER | |
| 52456390 | 52456390 | 1 | LEVER | |
| 52456706 | 52456706 | 1 | PTO COUPLING | |
| 56356328 | 56356328 | 1 | ADJUSTING RING SP=1,5 | |



| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-----------------------|------|
| 56356329 | 56356329 | 1 | ADJUSTING RING SP=1,6 | |
| 56356330 | 56356330 | 1 | ADJUSTING RING SP=1,7 | |
| 56356331 | 56356331 | 1 | ADJUSTING RING SP=1,8 | |
| 56356348 | 56356348 | 1 | ADJUSTING RING | |
| 56456347 | 56456347 | 1 | GEAR | |
| 56456351 | 56456351 | 1 | GEAR PIN | |
| 56456477 | 56456477 | 1 | SCREW 4 DS | |
| 56456478 | 56456478 | 1 | SCREW 2 | |
| 58043086 | 58043086 | 1 | SHOE | |
| 58056391 | 58056391 | 1 | SPRING | |
| 59056365 | 59056365 | 1 | PTO GEAR | |
| 59056383 | 59056383 | 1 | TRIPLE GEAR | |
| 59056707 | 59056707 | 1 | GEAR | |





i = info - stop 2 sec. ★ = new part



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

F.03.02.A0019_03 - GEARS (620M-630M-630WSM)

01/09/2021


Page 53 / 139

| Pos. | Id | Q.ty | Description | Note |
|------|----------|------|-----------------------------|---|
| 1 | 37111150 | | BEARING 6202 (15X35X11) | |
| 2 | 59056383 | | TRIPLE GEAR | |
| 3 | 52456370 | | SLIDER | |
| 4 | 59056707 | | GEAR | Replaces 59056365 + 52456362 from serial 863327 for 600-620-630-630WS-650 |
| 5 | 52456706 | | PTO COUPLING | Replaces 59056365 + 52456362 from serial 863327 for 600-620-630-630WS-650 |
| 6 | 35121031 | | SEEGER RING E 30 UNI 7436 | |
| 7 | 37112229 | | BEARING 6006 (30X55X13) SKF | |
| 8 | 35111055 | | SEEGER RING I 55 DIN 472 | |
| 9 | 38213800 | | OIL SEAL 38X55X7 | |
| 10 | 52456336 | | PTO SHAFT L=193 | |
| 11 | 58056391 | | SPRING | |
| 12 | 37910832 | | BALL 1/4 | |
| 13 | 56456736 | | GEAR PIN | Replaces 56456351 |
| 14 | 37320120 | | ROLLER CAGE 12X15/10 | |
| 15 | 56456347 | | GEAR | |
| 16 | 56356348 | | ADJUSTING RING | |
| 17 | 34211042 | | ROLL PIN | |
| 18 | 58043086 | | SHOE | |
| 19 | 34213060 | | ROLL PIN | |
| 20 | 52456389 | | LEVER | |
| 21 | 34213061 | | ROLL PIN | |
| 22 | 52456390 | | LEVER | |
| 23 | 37111250 | | BEARING | |
| 23 | 37141250 | | BEARING 7205-B OBL SKF | For Model 650 MAX |
| 24 | 31112211 | | SCREW TE M10X30 UNI 5739 | |
| 25 | 31421101 | | WASHER 10 DIN 679 | |
| 26 | 52456349 | | GEAR SUPPORT | |
| 27 | 56456477 | | SCREW 4 DS | For the model 630 WS |
| 27 | 56456478 | | SCREW 2 | |



| Pos. | Id | Q.ty | Description | Note |
|------|----------|------|-----------------------------|-----------|
| 28 | 56356328 | | ADJUSTING RING SP=1,5 | |
| 28 | 56356329 | | ADJUSTING RING SP=1,6 | |
| 28 | 56356330 | | ADJUSTING RING SP=1,7 | |
| 28 | 56356331 | | ADJUSTING RING SP=1,8 | |
| 29 | 35111053 | | SEEGER RING I 52 UNI 7438 | |
| 30 | 52456354 | | GEAR | |
| 31 | 52456360 | | SLIDER | |
| 32 | 52456340 | | SHAFT | |
| 32 | 52456341 | | SHAFT | U.K. TRAC |
| 33 | 37111152 | | BEARING 6302 (15X42X13) SKF | |
| 34 | 35211120 | | SEEGER RING E 12 UNI 7434 | |





Click for info


★ = new part

| Pos. | Id | Q.ty | Description | Note |
|------|----------|------|-----------------------------|---|
| 1 | 37111151 | | BEARING 6202 (15X35X11) | REPLACES 37111150 |
| 2 | 59056383 | | TRIPLE GEAR | |
| 3 | 52456370 | | SLIDER | |
| 4 | 59056707 | | GEAR | Replaces 59056365 + 52456362 from serial 863327 for 600-620-630-630WS-650 |
| 5 | 52456706 | | PTO COUPLING | Replaces 59056365 + 52456362 from serial 863327 for 600-620-630-630WS-650 |
| 6 | 35121031 | | SEEEGER RING E 30 UNI 7436 | |
| 7 | 37112229 | | BEARING 6006 (30X55X13) SKF | |
| 8 | 35111055 | | SEEEGER RING I 55 DIN 472 | |
| 9 | 38213800 | | OIL SEAL 38X55X7 | |
| 10 | 52456336 | | PTO SHAFT L=193 | |
| 11 | 58056391 | | SPRING | |
| 12 | 37910832 | | BALL 1/4 | |
| 13 | 56456736 | | GEAR PIN | Replaces 56456351 |
| 14 | 37320120 | | ROLLER CAGE 12X15/10 | |
| 15 | 56456347 | | GEAR | |
| 16 | 56356348 | | ADJUSTING RING | |
| 17 | 34211042 | | ROLL PIN | |
| 18 | 58043086 | | SHOE | |
| 19 | 34213060 | | ROLL PIN | |
| 20 | 52456389 | | LEVER | |
| 21 | 34213061 | | ROLL PIN | |
| 22 | 52456390 | | LEVER | |
| 23 | 37111250 | | BEARING | |
| 24 | 31112211 | | SCREW TE M10X30 UNI 5739 | |
| 25 | 31421101 | | WASHER 10 DIN 679 | |
| 26 | 52456349 | | GEAR SUPPORT | |
| 27 | 56456477 | | SCREW 4 DS | For the model 630 WS |
| 27 | 56456478 | | SCREW 2 | |
| 28 | 56356328 | | ADJUSTING RING SP=1,5 | |



| Pos. | Id | Q.ty | Description | Note |
|------|----------|------|-----------------------------|-----------|
| 28 | 56356329 | | ADJUSTING RING SP=1,6 | |
| 28 | 56356330 | | ADJUSTING RING SP=1,7 | |
| 28 | 56356331 | | ADJUSTING RING SP=1,8 | |
| 29 | 35111053 | | SEEGER RING I 52 UNI 7438 | |
| 30 | 52456354 | | GEAR | |
| 31 | 52456360 | | SLIDER | |
| 32 | 52456340 | | SHAFT | |
| 32 | 52456341 | | SHAFT | U.K. TRAC |
| 33 | 37111152 | | BEARING 6302 (15X42X13) SKF | |
| 34 | 35211120 | | SEEGER RING E 12 UNI 7434 | |





600 serie **MAX**

ASSE RUOTE (615M - 615LM - 615SM - 620M)

WHEEL AXLE
EJE RUEDAS

ESSIEU ROUES
RADACHSE

DALLA MACCHINA
DE LA MAQUINA
DE LA MACHINE
FROM THE MACHINE
AB DER MASCHINE
N.

G01

Rev.
0
09/2004



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX


G01_0_48726 - WHEEL AXLE

01/09/2021

Page 59 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|----------------------------|------|
| 31211100 | 31211100 | 1 | NUT M10 | |
| 31241120 | 31241120 | 1 | SELFLOCK NUT M12 | |
| 31312102 | 31312102 | 1 | STUD BOLT M10X40X24X12 | |
| 31421130 | 31421130 | 1 | WASHER | |
| 31423105 | 31423105 | 1 | SPRING WASHER 10,5 | |
| 34311060 | 34311060 | 1 | KEY 6X10 UNI 6606 | |
| 35111052 | 35111052 | 1 | SEEGER RING I 52 DIN 472 | |
| 37111250 | 37111250 | 1 | BEARING | |
| 38212501 | 38212501 | 1 | OIL SEAL 25X52X10 | |
| 54143090 | 54143090 | 1 | CROWN WHEEL Z=49 DESTRORSA | |
| 54143149 | 54143149 | 1 | CROWN WHEEL Z=49 MF SINIS | |
| 56143059 | 56143059 | 1 | SPACER | |
| 56343058 | 56343058 | 1 | AXLE SHAFT | |
| 59043063 | 59043063 | 1 | WHEEL HUB | |





Click for info


★ = new part

| Pos. | Id | Q.ty | Description | Note |
|------|----------|------|-----------------------------|---|
| 1 | 37111151 | | BEARING 6202 (15X35X11) | |
| 2 | 59056383 | | TRIPLE GEAR | |
| 3 | 52456370 | | SLIDER | |
| 4 | 59056707 | | GEAR | Replaces 59056365 + 52456362 from serial 863327 for 600-620-630-630WS-650 |
| 5 | 52456706 | | PTO COUPLING | Replaces 59056365 + 52456362 from serial 863327 for 600-620-630-630WS-650 |
| 6 | 35121031 | | SEEGER RING E 30 UNI 7436 | |
| 7 | 37112229 | | BEARING 6006 (30X55X13) SKF | |
| 8 | 35111055 | | SEEGER RING I 55 DIN 472 | |
| 9 | 38213800 | | OIL SEAL 38X55X7 | |
| 10 | 52456336 | | PTO SHAFT L=193 | |
| 11 | 58056391 | | SPRING | |
| 12 | 37910832 | | BALL 1/4 | |
| 13 | 56456736 | | GEAR PIN | Replaces 56456351 |
| 14 | 37320120 | | ROLLER CAGE 12X15/10 | |
| 15 | 56456347 | | GEAR | |
| 16 | 56356348 | | ADJUSTING RING | |
| 17 | 34211042 | | ROLL PIN | |
| 18 | 58043086 | | SHOE | |
| 19 | 34213060 | | ROLL PIN | |
| 20 | 52456389 | | LEVER | |
| 21 | 34213061 | | ROLL PIN | |
| 22 | 52456390 | | LEVER | |
| 23 | 37141250 | | BEARING 7205-B OBL SKF | For Model 650 MAX |
| 24 | 31112211 | | SCREW TE M10X30 UNI 5739 | |
| 25 | 31421101 | | WASHER 10 DIN 679 | |
| 26 | 52456349 | | GEAR SUPPORT | |
| 27 | 56456477 | | SCREW 4 DS | For the model 630 WS |
| 27 | 56456478 | | SCREW 2 | |
| 28 | 56356328 | | ADJUSTING RING SP=1,5 | |



| Pos. | Id | Q.ty | Description | Note |
|------|----------|------|-----------------------------|-----------|
| 28 | 56356329 | | ADJUSTING RING SP=1,6 | |
| 28 | 56356330 | | ADJUSTING RING SP=1,7 | |
| 28 | 56356331 | | ADJUSTING RING SP=1,8 | |
| 29 | 35111053 | | SEEGER RING I 52 UNI 7438 | |
| 30 | 52456354 | | GEAR | |
| 31 | 52456360 | | SLIDER | |
| 32 | 52456340 | | SHAFT | |
| 32 | 52456341 | | SHAFT | U.K. TRAC |
| 33 | 37111152 | | BEARING 6302 (15X42X13) SKF | |
| 34 | 35211120 | | SEEGER RING E 12 UNI 7434 | |





| | | | | | |
|------------|----------------------|-----------------------------|---|------------|-----------|
| BCS | 600 serie MAX | DIFFERENZIALE (630M) | DALLA MACCHINA DE LA MAQUINA DE LA MACHINE FROM THE MACHINE AB DER MASCHINE | G02 | Rev. 0 |
| | | DIFFERENTIAL DIFERENCIAL | DIFFERENTIEL DIFFERENTIAL | N. | 09/2004 |



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX


G02_0_48741 - DIFFERENTIAL

01/09/2021

Page 64 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|----------------------------|------|
| 31112152 | 31112152 | 1 | SCREW TE M8X30 UNI 5739 8G | |
| 31211100 | 31211100 | 1 | NUT M10 | |
| 31241080 | 31241080 | 1 | HEXAGON SELFLOCK NUT M8 | |
| 31312080 | 31312080 | 1 | STUD BOLT M8X46X20X12 | |
| 31312102 | 31312102 | 1 | STUD BOLT M10X40X24X12 | |
| 31411084 | 31411084 | 1 | WASHER 8,4x17 | |
| 31423084 | 31423084 | 1 | SPRING WASHER 8,4 | |
| 31423105 | 31423105 | 1 | SPRING WASHER 10,5 | |
| 35111047 | 35111047 | 1 | SEEGER RING I 47 DIN 472 | |
| 37111202 | 37111202 | 1 | BEARING 6304 (20X52X15) | |
| 37111253 | 37111253 | 1 | BEARING 6005 (25X47X12) | |
| 38111400 | 38111400 | 1 | O-RING (14,00X1,78) | |
| 38213002 | 38213002 | 1 | OIL SEAL 30X40X7 | |
| 52443852 | 52443852 | 1 | AXLE SHAFT | |
| 52443853 | 52443853 | 1 | AXLE SHAFT | |
| 52448182 | 52448182 | 1 | COUPLING | |
| 53243851 | 53243851 | 1 | HUB | |
| 56143865 | 56143865 | 1 | RING | |
| 56143880 | 56143880 | 1 | SMALL LEVER | |
| 56143883 | 56143883 | 1 | STOP | |
| 56443871 | 56443871 | 1 | ROD | |
| 58002429 | 58002429 | 1 | CLAMPING SCREW | |
| 58042167 | 58042167 | 1 | SHEATH END | |
| 58043855 | 58043855 | 1 | GASKET | |
| 58043874 | 58043874 | 1 | SPRING | |
| 58043881 | 58043881 | 1 | SPRING | |
| 59248490 | 59248490 | 1 | DIFFERENTIAL GEAR | |





600 serie **MAX**

DIFFERENZIALE (630M-650M)

DIFFÉRENTIEL
DIFERENCIAL

DIFFÉRENTIEL
DIFFERENTIAL

DALLA MACCHINA
DE LA MAQUINA
DE LA MACHINE
FROM THE MACHINE
AB DER MASCHINE
N.

ERRATA CORRIGE

G02

Rev.
1

10/2004




| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|----------------------------|------|
| 31112152 | 31112152 | 1 | SCREW TE M8X30 UNI 5739 8G | |
| 31211100 | 31211100 | 1 | NUT M10 | |
| 31241080 | 31241080 | 1 | HEXAGON SELFLOCK NUT M8 | |
| 31312080 | 31312080 | 1 | STUD BOLT M8X46X20X12 | |
| 31312102 | 31312102 | 1 | STUD BOLT M10X40X24X12 | |
| 31411084 | 31411084 | 1 | WASHER 8,4x17 | |
| 31423084 | 31423084 | 1 | SPRING WASHER 8,4 | |
| 31423105 | 31423105 | 1 | SPRING WASHER 10,5 | |
| 35111047 | 35111047 | 1 | SEEGER RING I 47 DIN 472 | |
| 37111202 | 37111202 | 1 | BEARING 6304 (20X52X15) | |
| 37111250 | 37111250 | 1 | BEARING | |
| 37111253 | 37111253 | 1 | BEARING 6005 (25X47X12) | |
| 38111400 | 38111400 | 1 | O-RING (14,00X1,78) | |
| 38213002 | 38213002 | 1 | OIL SEAL 30X40X7 | |
| 52443852 | 52443852 | 1 | AXLE SHAFT | |
| 52443853 | 52443853 | 1 | AXLE SHAFT | |
| 52448182 | 52448182 | 1 | COUPLING | |
| 52448187 | 52448187 | 1 | AXLE SHAFT | |
| 52448188 | 52448188 | 1 | AXLE SHAFT | |
| 53243851 | 53243851 | 1 | HUB | |
| 56143865 | 56143865 | 1 | RING | |
| 56143880 | 56143880 | 1 | SMALL LEVER | |
| 56143883 | 56143883 | 1 | STOP | |
| 56148184 | 56148184 | 1 | RING | |
| 56443857 | 56443857 | 1 | SPACER | |
| 56443871 | 56443871 | 1 | ROD | |
| 56448183 | 56448183 | 1 | SPACER | |
| 56448196 | 56448196 | 1 | COUPLING | |
| 58002429 | 58002429 | 1 | CLAMPING SCREW | |



| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-------------------|------|
| 58042167 | 58042167 | 1 | SHEATH END | |
| 58043855 | 58043855 | 1 | GASKET | |
| 58043874 | 58043874 | 1 | SPRING | |
| 58043881 | 58043881 | 1 | SPRING | |
| 59048181 | 59048181 | 1 | DIFFERENTIAL GEAR | |
| 59248490 | 59248490 | 1 | DIFFERENTIAL GEAR | |





600 serie **MAX**

DIFFERENZIALE (630M-650M)

DIFFÉRENTIEL
DIFERENCIAL

DIFFÉRENTIEL
DIFFERENTIAL

DALLA MACCHINA
DE LA MAQUINA
DE LA MACHINE
FROM THE MACHINE
AB DER MASCHINE
ON.

872014 (630M) O

G02 2
Rev.
01/2011



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX


G02_2_142592 - DIFFERENTIAL

01/09/2021

Page 69 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|----------------------------|------|
| 31112152 | 31112152 | 1 | SCREW TE M8X30 UNI 5739 8G | |
| 31211100 | 31211100 | 1 | NUT M10 | |
| 31241080 | 31241080 | 1 | HEXAGON SELFLOCK NUT M8 | |
| 31312080 | 31312080 | 1 | STUD BOLT M8X46X20X12 | |
| 31312102 | 31312102 | 1 | STUD BOLT M10X40X24X12 | |
| 31411084 | 31411084 | 1 | WASHER 8,4x17 | |
| 31423084 | 31423084 | 1 | SPRING WASHER 8,4 | |
| 31423105 | 31423105 | 1 | SPRING WASHER 10,5 | |
| 35111047 | 35111047 | 1 | SEEGER RING I 47 DIN 472 | |
| 37111250 | 37111250 | 1 | BEARING | |
| 37111253 | 37111253 | 1 | BEARING 6005 (25X47X12) | |
| 38111400 | 38111400 | 1 | O-RING (14,00X1,78) | |
| 38213002 | 38213002 | 1 | OIL SEAL 30X40X7 | |
| 52448187 | 52448187 | 1 | AXLE SHAFT | |
| 52448188 | 52448188 | 1 | AXLE SHAFT | |
| 53243851 | 53243851 | 1 | HUB | |
| 56143880 | 56143880 | 1 | SMALL LEVER | |
| 56143883 | 56143883 | 1 | STOP | |
| 56148184 | 56148184 | 1 | RING | |
| 56443871 | 56443871 | 1 | ROD | |
| 56448183 | 56448183 | 1 | SPACER | |
| 56448196 | 56448196 | 1 | COUPLING | |
| 58002429 | 58002429 | 1 | CLAMPING SCREW | |
| 58042167 | 58042167 | 1 | SHEATH END | |
| 58043855 | 58043855 | 1 | GASKET | |
| 58043874 | 58043874 | 1 | SPRING | |
| 58043881 | 58043881 | 1 | SPRING | |
| 59048181 | 59048181 | 1 | DIFFERENTIAL GEAR | |





600 serie MAX

**PIANTONE
(620M-630M-630WSMAX-WS MUSTER)**
STEERING COLUMN
COLUMNNA

PLANTON
LENKSÄULE

DALLA MACCHINA
DE LA MAQUINA
DE LA MACHINE
FROM THE MACHINE
AB DER MASCHINE
N.

H02 0
Rev.
09/2004



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

H02_0_48882 - STEERING COLUMN

01/09/2021

Page 71 / 139

| Pos. | Id | | Q.ty | Description | Note |
|----------|----------|--|------|------------------------------|------|
| 30010120 | 30010120 | | 1 | SILENT-BLOCK 12X40X58X66 | |
| 31100451 | 31100451 | | 1 | SCREW 3,5X25 | |
| 31111086 | 31111086 | | 1 | SCREW TE M4X25 UNI 5739 8G | |
| 31111229 | 31111229 | | 1 | SCREW TE M10X110 UNI 5737 8G | |
| 31112150 | 31112150 | | 1 | SCREW TE M8X20 UNI 5739 8G | |
| 31112293 | 31112293 | | 1 | SCREW TE M12X80 UNI 5737 | |
| 31211080 | 31211080 | | 1 | NUT M8 | |
| 31241080 | 31241080 | | 1 | HEXAGON SELFLOCK NUT M8 | |
| 31241100 | 31241100 | | 1 | SELFLOCK HEXAGON NUT M10 | |
| 31241126 | 31241126 | | 1 | SELFLOCK NUT M12 | |
| 31421083 | 31421083 | | 1 | WASHER | |
| 31421100 | 31421100 | | 1 | CUP SPRING 25X12,2X1,5 D2093 | |
| 31423043 | 31423043 | | 1 | SPRING WASHER 4,3 | |
| 52156917 | 52156917 | | 1 | WEDGE | |
| 55157212 | 55157212 | | 1 | GRIP | |
| 55157213 | 55157213 | | 1 | GRIP | |
| 56156881 | 56156881 | | 1 | CONNECTION | |
| 56156940 | 56156940 | | 1 | U BOLT | |
| 56156948 | 56156948 | | 1 | STOP | |
| 56157411 | 56157411 | | 1 | FORK | |
| 56157412 | 56157412 | | 1 | PIN | |
| 56356924 | 56356924 | | 1 | FERRULE | |
| 58047712 | 58047712 | | 1 | SPRING | |
| 58048009 | 58048009 | | 1 | ENGINE STOP SWITCH | |
| 58056918 | 58056918 | | 1 | SPRING | |
| 58056942 | 58056942 | | 1 | SPRING | |
| 58057413 | 58057413 | | 1 | RETAINING SPRING | |
| 58057417 | 58057417 | | 1 | WIRING MOT/STOP L=950 | |
| 59056875 | 59056875 | | 1 | COLUMN | |



| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-------------|------|
| 59056886 | 59056886 | 1 | COLUMN | |
| 59056887 | 59056887 | 1 | LEVER | |
| 59257409 | 59257409 | 1 | SUPPORT | |




BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

H02_0_48882 - STEERING COLUMN

01/09/2021

Page 73 / 139



600 serie **MAX**

PIANTONE
(620M-630M-630WS MAX - WS MUSTER)

STEERING COLUMN
COLUMNA

PLANTON
LENKSÄULE

DALLA MACCHINA
DE LA MAQUINA
DE LA MACHINE
FROM THE MACHINE
AB DER MASCHINE
0N.

ERRATA CORRIGE

H02

Rev.
1

10/2004



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

H02_1_114886 - STEERING COLUMN

01/09/2021


Page 74 / 139

| Pos. | Id | Q.ty | Description | Note |
|-----------|-----------|------|------------------------------|------|
| 30010120 | 30010120 | 1 | SILENT-BLOCK 12X40X58X66 | |
| 31100451 | 31100451 | 1 | SCREW 3,5X25 | |
| 31111086 | 31111086 | 1 | SCREW TE M4X25 UNI 5739 8G | |
| 31111229 | 31111229 | 1 | SCREW TE M10X110 UNI 5737 8G | |
| 31112150 | 31112150 | 1 | SCREW TE M8X20 UNI 5739 8G | |
| 31112153 | 31112153 | 1 | SCREW TE M8X35 UNI 5739 8G | |
| 31112293 | 31112293 | 1 | SCREW TE M12X80 UNI 5737 | |
| 31211080 | 31211080 | 1 | NUT M8 | |
| 31241080 | 31241080 | 1 | HEXAGON SELFLOCK NUT M8 | |
| 31241100 | 31241100 | 1 | SELFLOCK HEXAGON NUT M10 | |
| 31241126 | 31241126 | 1 | SELFLOCK NUT M12 | |
| 31421083 | 31421083 | 1 | WASHER | |
| 31423043 | 31423043 | 1 | SPRING WASHER 4,3 | |
| 31423084 | 31423084 | 1 | SPRING WASHER 8,4 | |
| 52156917 | 52156917 | 1 | WEDGE | |
| 55157212 | 55157212 | 1 | GRIP | |
| 55157213 | 55157213 | 1 | GRIP | |
| 55243340 | 55243340 | 1 | SUPPORT | |
| 56156940 | 56156940 | 1 | U BOLT | |
| 56157412 | 56157412 | 1 | PIN | |
| 56356924 | 56356924 | 1 | FERRULE | |
| 58047712 | 58047712 | 1 | SPRING | |
| 58048009 | 58048009 | 1 | ENGINE STOP SWITCH | |
| 58057413 | 58057413 | 1 | RETAINING SPRING | |
| 58057417 | 58057417 | 1 | WIRING MOT/STOP L=950 | |
| 59056886 | 59056886 | 1 | COLUMN | |
| 59257409 | 59257409 | 1 | SUPPORT | |
| 31421100Z | 31421100Z | 1 | CUP SPRING 25X12,2X1,5 D2093 | |
| 56156881N | 56156881N | 1 | CONNECTION | |



| Pos. | Id | Q.ty | Description | Note |
|-----------|-----------|------|-------------|------|
| 56156948N | 56156948N | 1 | STOP | |
| 56157411Z | 56157411Z | 1 | FORK | |
| 58056918Z | 58056918Z | 1 | SPRING | |
| 58056942N | 58056942N | 1 | SPRING | |
| 59056875N | 59056875N | 1 | COLUMN | |
| 59056887N | 59056887N | 1 | LEVER | |





(1) sostituisce 59056887N

| | | | | | | |
|------------|----------------------|---|--|--|------------|-----------|
| BCS | 600 serie MAX | PIANTONE (620M-630M-630WS MAX-WS MUSTER) | DALLA MACCHINA DE LA MAQUINA DE LA MACHINA FROM THE MACHINE AB DER MASCHINE | AGGIORNAMENTO APLIZAMIENTO MISE A JOUR REVISION ANPASSUNG | H02 | Rev. 2 |
| | | STEERING COLUMN COLUMN | PLANTON LENKSÄULE | ★ N. | | 09/2010 |

DITE.BCS - Scala 1:6



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

H02_2_141810 - STEERING COLUMN

01/09/2021

Page 77 / 139

| Pos. | Id | Q.ty | Description | Note |
|-----------|-----------|------|--------------------------------|------|
| 30010120 | 30010120 | 1 | SILENT-BLOCK 12X40X58X66 | |
| 31100451 | 31100451 | 1 | SCREW 3,5X25 | |
| 31111229 | 31111229 | 1 | SCREW TE M10X110 UNI 5737 8G | |
| 31112150 | 31112150 | 1 | SCREW TE M8X20 UNI 5739 8G | |
| 31112165 | 31112165 | 1 | SCREW TE C/F M8X35 DIN 6921 8G | |
| 31112293 | 31112293 | 1 | SCREW TE M12X80 UNI 5737 | |
| 31121024 | 31121024 | 1 | SCREW TBCEI FL.M4X25 | |
| 31211080 | 31211080 | 1 | NUT M8 | |
| 31241080 | 31241080 | 1 | HEXAGON SELFLOCK NUT M8 | |
| 31241100 | 31241100 | 1 | SELFLOCK HEXAGON NUT M10 | |
| 31241126 | 31241126 | 1 | SELFLOCK NUT M12 | |
| 31421083 | 31421083 | 1 | WASHER | |
| 52156917 | 52156917 | 1 | WEDGE | |
| 55157212 | 55157212 | 1 | GRIP | |
| 55157213 | 55157213 | 1 | GRIP | |
| 55243340 | 55243340 | 1 | SUPPORT | |
| 56156940 | 56156940 | 1 | U BOLT | |
| 56157412 | 56157412 | 1 | PIN | |
| 56356924 | 56356924 | 1 | FERRULE | |
| 58047712 | 58047712 | 1 | SPRING | |
| 58048009 | 58048009 | 1 | ENGINE STOP SWITCH | |
| 58057413 | 58057413 | 1 | RETAINING SPRING | |
| 58057417 | 58057417 | 1 | WIRING MOT/STOP L=950 | |
| 59056886 | 59056886 | 1 | COLUMN | |
| 59257409 | 59257409 | 1 | SUPPORT | |
| 31421100Z | 31421100Z | 1 | CUP SPRING 25X12,2X1,5 D2093 | |
| 56156881N | 56156881N | 1 | CONNECTION | |
| 56156948N | 56156948N | 1 | STOP | |
| 56157411Z | 56157411Z | 1 | FORK | |



| Pos. | Id | Q.ty | Description | Note |
|-----------|-----------|------|-------------|------|
| 58056918Z | 58056918Z | 1 | SPRING | |
| 58056942N | 58056942N | 1 | SPRING | |
| 59056875N | 59056875N | 1 | COLUMN | |
| 59057010N | 59057010N | 1 | LEVER | |




BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

H02_2_141810 - STEERING COLUMN

01/09/2021

Page 79 / 139



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

I03_0_49043 - HANDLEBAR

01/09/2021


Page 80 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|----------------------------|------|
| 31100451 | 31100451 | 1 | SCREW 3,5X25 | |
| 31111097 | 31111097 | 1 | SCREW TE M6X45 UNI 5737 8G | |
| 31112089 | 31112089 | 1 | SCREW TE M6X25 UNI 5739 8G | |
| 31112092 | 31112092 | 1 | SCREW TE M6X35 UNI 5739 8G | |
| 31112153 | 31112153 | 1 | SCREW TE M8X35 UNI 5739 8G | |
| 31211080 | 31211080 | 1 | NUT M8 | |
| 31241060 | 31241060 | 1 | HEXAGON SELFLOCK NUT M6 | |
| 31241061 | 31241061 | 1 | SELFLOCK NUT M6 6S | |
| 31423084 | 31423084 | 1 | SPRING WASHER 8,4 | |
| 55157212 | 55157212 | 1 | GRIP | |
| 55157213 | 55157213 | 1 | GRIP | |
| 55157214 | 55157214 | 1 | GRIP | |
| 55157215 | 55157215 | 1 | GRIP | |
| 55248038 | 55248038 | 1 | STOP | |
| 55248041 | 55248041 | 1 | LEVER | |
| 55257209 | 55257209 | 1 | BUSHING | |
| 56147655 | 56147655 | 1 | CLUTCH LEVER | |
| 56148037 | 56148037 | 1 | LEVER STOP | |
| 56148285 | 56148285 | 1 | PIN | |
| 56148287 | 56148287 | 1 | STUD BOLT | |
| 56150361 | 56150361 | 1 | SPACER | |
| 56156603 | 56156603 | 1 | SPACER | |
| 56156604 | 56156604 | 1 | CLUTCH LEVER | |
| 56157208 | 56157208 | 1 | U BOLT | |
| 58002538 | 58002538 | 1 | ACCELERATOR | |
| 58026222 | 58026222 | 1 | LINE AND SHEATH (L=1380) | |
| 58042067 | 58042067 | 1 | LINE AND SHEATH (L=1710) | |
| 58042167 | 58042167 | 1 | SHEATH END | |
| 58043216 | 58043216 | 1 | LINE AND SHEATH (L=1160) | |



| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|---------------------------------|------|
| 58043253 | 58043253 | 1 | LINE AND SHEATH (L=1200) | |
| 58047649 | 58047649 | 1 | CLEVIS | |
| 58048000 | 58048000 | 1 | KNOB D=27 | |
| 58049670 | 58049670 | 1 | LINE AND SHEATH (L=1080) | |
| 58056154 | 58056154 | 1 | RESTORING SPRING | |
| 58056593 | 58056593 | 1 | SPRING | |
| 58056595 | 58056595 | 1 | ADJUSTING SCREW M8 | |
| 58056605 | 58056605 | 1 | SPRING | |
| 58057211 | 58057211 | 1 | TRANSMISSION | |
| 58057263 | 58057263 | 1 | CLAMPING SCREW | |
| 58057293 | 58057293 | 1 | LINE AND SHEATH (L=1310) | |
| 58057295 | 58057295 | 1 | LINE AND SHEATH (L=1170) | |
| 58057415 | 58057415 | 1 | LINE AND SHEATH M/S L=940 MF/04 | |
| 58150313 | 58150313 | 1 | CABLE CLAMP | |
| 59057120 | 59057120 | 1 | COMPLETE HANDLE BAR | |
| 59057201 | 59057201 | 1 | SUPPORT | |
| 59057210 | 59057210 | 1 | COMMAND LEVER | |





600 serie **MAX**

MANUBRIO (630M)

HANDLEBAR
MANILLAR

MANCHERON
LENKER

DALLA MACCHINA
DE LA MAQUINA
DE LA MACHINE
FROM THE MACHINE
AB DER MASCHINE
N.

ERRATA CORRIGE
I03
Rev. 1
10/2004

ZENNE



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

I03_1_51910 - HANDLEBAR (630M)

01/09/2021


Page 83 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|----------------------------|------|
| 31100451 | 31100451 | 1 | SCREW 3,5X25 | |
| 31111097 | 31111097 | 1 | SCREW TE M6X45 UNI 5737 8G | |
| 31112089 | 31112089 | 1 | SCREW TE M6X25 UNI 5739 8G | |
| 31112092 | 31112092 | 1 | SCREW TE M6X35 UNI 5739 8G | |
| 31112153 | 31112153 | 1 | SCREW TE M8X35 UNI 5739 8G | |
| 31211080 | 31211080 | 1 | NUT M8 | |
| 31241060 | 31241060 | 1 | HEXAGON SELFLOCK NUT M6 | |
| 31241061 | 31241061 | 1 | SELFLOCK NUT M6 6S | |
| 31423084 | 31423084 | 1 | SPRING WASHER 8,4 | |
| 55157212 | 55157212 | 1 | GRIP | |
| 55157213 | 55157213 | 1 | GRIP | |
| 55157214 | 55157214 | 1 | GRIP | |
| 55157215 | 55157215 | 1 | GRIP | |
| 55248038 | 55248038 | 1 | STOP | |
| 55248041 | 55248041 | 1 | LEVER | |
| 55257209 | 55257209 | 1 | BUSHING | |
| 56147655 | 56147655 | 1 | CLUTCH LEVER | |
| 56148037 | 56148037 | 1 | LEVER STOP | |
| 56148285 | 56148285 | 1 | PIN | |
| 56148287 | 56148287 | 1 | STUD BOLT | |
| 56150361 | 56150361 | 1 | SPACER | |
| 56156603 | 56156603 | 1 | SPACER | |
| 56156604 | 56156604 | 1 | CLUTCH LEVER | |
| 56157208 | 56157208 | 1 | U BOLT | |
| 58002538 | 58002538 | 1 | ACCELERATOR | |
| 58026222 | 58026222 | 1 | LINE AND SHEATH (L=1380) | |
| 58042067 | 58042067 | 1 | LINE AND SHEATH (L=1710) | |
| 58042167 | 58042167 | 1 | SHEATH END | |
| 58043216 | 58043216 | 1 | LINE AND SHEATH (L=1160) | |



| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|---------------------------------|------|
| 58043253 | 58043253 | 1 | LINE AND SHEATH (L=1200) | |
| 58047649 | 58047649 | 1 | CLEVIS | |
| 58048000 | 58048000 | 1 | KNOB D=27 | |
| 58048005 | 58048005 | 1 | LINE AND SHEATH (L=1170) | |
| 58049670 | 58049670 | 1 | LINE AND SHEATH (L=1080) | |
| 58056154 | 58056154 | 1 | RESTORING SPRING | |
| 58056593 | 58056593 | 1 | SPRING | |
| 58056595 | 58056595 | 1 | ADJUSTING SCREW M8 | |
| 58056605 | 58056605 | 1 | SPRING | |
| 58057211 | 58057211 | 1 | TRANSMISSION | |
| 58057263 | 58057263 | 1 | CLAMPING SCREW | |
| 58057293 | 58057293 | 1 | LINE AND SHEATH (L=1310) | |
| 58057295 | 58057295 | 1 | LINE AND SHEATH (L=1170) | |
| 58057415 | 58057415 | 1 | LINE AND SHEATH M/S L=940 MF/04 | |
| 58150313 | 58150313 | 1 | CABLE CLAMP | |
| 59057120 | 59057120 | 1 | COMPLETE HANDLE BAR | |
| 59057201 | 59057201 | 1 | SUPPORT | |
| 59057210 | 59057210 | 1 | COMMAND LEVER | |





(1) sostituisce 59057120

| Rev. | I03 | 2 |
|--|---------------|---|
| DALLA MACCHINA DE LA MAQUINA DE LA MACHINE FROM THE MACHINE AB DER MASCHINE ON. | AGGIORNAMENTO | |
| | REVISION | |
| | MISE A JOUR | |
| | APLIZAMIENTO | |
| | ANPASSUNG | |
| 07/2006 | ZENE | |



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

I03_2_66041 - HANDLEBAR (630M)

01/09/2021


Page 86 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|----------------------------|------|
| 31100451 | 31100451 | 1 | SCREW 3,5X25 | |
| 31111097 | 31111097 | 1 | SCREW TE M6X45 UNI 5737 8G | |
| 31112089 | 31112089 | 1 | SCREW TE M6X25 UNI 5739 8G | |
| 31112092 | 31112092 | 1 | SCREW TE M6X35 UNI 5739 8G | |
| 31112153 | 31112153 | 1 | SCREW TE M8X35 UNI 5739 8G | |
| 31211080 | 31211080 | 1 | NUT M8 | |
| 31241060 | 31241060 | 1 | HEXAGON SELFLOCK NUT M6 | |
| 31241061 | 31241061 | 1 | SELFLOCK NUT M6 6S | |
| 31423084 | 31423084 | 1 | SPRING WASHER 8,4 | |
| 55157212 | 55157212 | 1 | GRIP | |
| 55157213 | 55157213 | 1 | GRIP | |
| 55157214 | 55157214 | 1 | GRIP | |
| 55157215 | 55157215 | 1 | GRIP | |
| 55248038 | 55248038 | 1 | STOP | |
| 55248041 | 55248041 | 1 | LEVER | |
| 55257209 | 55257209 | 1 | BUSHING | |
| 56147655 | 56147655 | 1 | CLUTCH LEVER | |
| 56148037 | 56148037 | 1 | LEVER STOP | |
| 56148285 | 56148285 | 1 | PIN | |
| 56148287 | 56148287 | 1 | STUD BOLT | |
| 56150361 | 56150361 | 1 | SPACER | |
| 56156603 | 56156603 | 1 | SPACER | |
| 56156604 | 56156604 | 1 | CLUTCH LEVER | |
| 56157208 | 56157208 | 1 | U BOLT | |
| 58002538 | 58002538 | 1 | ACCELERATOR | |
| 58026222 | 58026222 | 1 | LINE AND SHEATH (L=1380) | |
| 58042067 | 58042067 | 1 | LINE AND SHEATH (L=1710) | |
| 58042167 | 58042167 | 1 | SHEATH END | |
| 58043216 | 58043216 | 1 | LINE AND SHEATH (L=1160) | |



| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|---------------------------------|------|
| 58043253 | 58043253 | 1 | LINE AND SHEATH (L=1200) | |
| 58047649 | 58047649 | 1 | CLEVIS | |
| 58048000 | 58048000 | 1 | KNOB D=27 | |
| 58048005 | 58048005 | 1 | LINE AND SHEATH (L=1170) | |
| 58049670 | 58049670 | 1 | LINE AND SHEATH (L=1080) | |
| 58056154 | 58056154 | 1 | RESTORING SPRING | |
| 58056155 | 58056155 | 1 | RESTORING SPRING | |
| 58056593 | 58056593 | 1 | SPRING | |
| 58056595 | 58056595 | 1 | ADJUSTING SCREW M8 | |
| 58056605 | 58056605 | 1 | SPRING | |
| 58057211 | 58057211 | 1 | TRANSMISSION | |
| 58057263 | 58057263 | 1 | CLAMPING SCREW | |
| 58057293 | 58057293 | 1 | LINE AND SHEATH (L=1310) | |
| 58057295 | 58057295 | 1 | LINE AND SHEATH (L=1170) | |
| 58057415 | 58057415 | 1 | LINE AND SHEATH M/S L=940 MF/04 | |
| 58150313 | 58150313 | 1 | CABLE CLAMP | |
| 59057201 | 59057201 | 1 | SUPPORT | |
| 59057210 | 59057210 | 1 | COMMAND LEVER | |
| 59257153 | 59257153 | 1 | HANDLE BAR | |





600 serie MAX

MANUBRIO (630M)

HANDLEBAR
MANILLAR

MANCHERON
LENKER

DALLA MACCHINA
DE LA MAQUINA
DE LA MACHINE
FROM THE MACHINE
AB DER MASCHINE

**AGGIORNAMENTO
REVISION
MISE A JOUR
APLAZAMIENTO
ANPASSUNG**

I03

Rev.
3
10

The BCS logo consists of the letters "BCS" in a bold, blue, sans-serif font, enclosed within a thin blue oval border.

BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

J03_3_124821 - HANDLEBAR (630M)

01/09/2021


Page 89 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|----------------------------|------|
| 31100451 | 31100451 | 1 | SCREW 3,5X25 | |
| 31111097 | 31111097 | 1 | SCREW TE M6X45 UNI 5737 8G | |
| 31112089 | 31112089 | 1 | SCREW TE M6X25 UNI 5739 8G | |
| 31112092 | 31112092 | 1 | SCREW TE M6X35 UNI 5739 8G | |
| 31112153 | 31112153 | 1 | SCREW TE M8X35 UNI 5739 8G | |
| 31211080 | 31211080 | 1 | NUT M8 | |
| 31241060 | 31241060 | 1 | HEXAGON SELFLOCK NUT M6 | |
| 31241061 | 31241061 | 1 | SELFLOCK NUT M6 6S | |
| 31423084 | 31423084 | 1 | SPRING WASHER 8,4 | |
| 55157212 | 55157212 | 1 | GRIP | |
| 55157213 | 55157213 | 1 | GRIP | |
| 55157214 | 55157214 | 1 | GRIP | |
| 55157215 | 55157215 | 1 | GRIP | |
| 55248038 | 55248038 | 1 | STOP | |
| 55248041 | 55248041 | 1 | LEVER | |
| 55257209 | 55257209 | 1 | BUSHING | |
| 56147655 | 56147655 | 1 | CLUTCH LEVER | |
| 56148037 | 56148037 | 1 | LEVER STOP | |
| 56148285 | 56148285 | 1 | PIN | |
| 56148287 | 56148287 | 1 | STUD BOLT | |
| 56150361 | 56150361 | 1 | SPACER | |
| 56156603 | 56156603 | 1 | SPACER | |
| 56156604 | 56156604 | 1 | CLUTCH LEVER | |
| 56157208 | 56157208 | 1 | U BOLT | |
| 58002538 | 58002538 | 1 | ACCELERATOR | |
| 58026222 | 58026222 | 1 | LINE AND SHEATH (L=1380) | |
| 58042067 | 58042067 | 1 | LINE AND SHEATH (L=1710) | |
| 58042167 | 58042167 | 1 | SHEATH END | |
| 58043216 | 58043216 | 1 | LINE AND SHEATH (L=1160) | |



| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|---------------------------------|------|
| 58043253 | 58043253 | 1 | LINE AND SHEATH (L=1200) | |
| 58047649 | 58047649 | 1 | CLEVIS | |
| 58048000 | 58048000 | 1 | KNOB D=27 | |
| 58048005 | 58048005 | 1 | LINE AND SHEATH (L=1170) | |
| 58049670 | 58049670 | 1 | LINE AND SHEATH (L=1080) | |
| 58056154 | 58056154 | 1 | RESTORING SPRING | |
| 58056155 | 58056155 | 1 | RESTORING SPRING | |
| 58056593 | 58056593 | 1 | SPRING | |
| 58056595 | 58056595 | 1 | ADJUSTING SCREW M8 | |
| 58056605 | 58056605 | 1 | SPRING | |
| 58056812 | 58056812 | 1 | LINE AND SHEATH L=1680 | |
| 58057211 | 58057211 | 1 | TRANSMISSION | |
| 58057263 | 58057263 | 1 | CLAMPING SCREW | |
| 58057295 | 58057295 | 1 | LINE AND SHEATH (L=1170) | |
| 58057415 | 58057415 | 1 | LINE AND SHEATH M/S L=940 MF/04 | |
| 58150313 | 58150313 | 1 | CABLE CLAMP | |
| 59057201 | 59057201 | 1 | SUPPORT | |
| 59057210 | 59057210 | 1 | COMMAND LEVER | |
| 59257153 | 59257153 | 1 | HANDLE BAR | |





600 serie MAX

HANDLEBAR
MANILLARMANUBRIO
(630MAX)MANCHERON
LINCHERDALLA MACCHINA
DE LA MAQUINA
DE LA MACHINA
FROM THE MACHINE
AB DER MASCHINE

★ N.

867450

103

Rev.
4

11/2010



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

103_4_142023 - HANDLEBAR

01/09/2021


Page 92 / 139

| Pos. | Id | Q.ty | Description | Note |
|-----------|-----------|------|---------------------------------|------|
| 31111097 | 31111097 | 1 | SCREW TE M6X45 UNI 5737 8G | |
| 31112089 | 31112089 | 1 | SCREW TE M6X25 UNI 5739 8G | |
| 31121020 | 31121020 | 1 | SCREW TBCEI M8X40 ISO7380 10K Z | |
| 31211080 | 31211080 | 1 | NUT M8 | |
| 31241060 | 31241060 | 1 | HEXAGON SELFLOCK NUT M6 | |
| 31241061 | 31241061 | 1 | SELFLOCK NUT M6 6S | |
| 55248041 | 55248041 | 1 | LEVER | |
| 56147655N | 56147655N | 1 | CLUTCH LEVER | |
| 56148037 | 56148037 | 1 | LEVER STOP | |
| 56150361 | 56150361 | 1 | SPACER | |
| 56156603Z | 56156603Z | 1 | SPACER | |
| 56156604 | 56156604 | 1 | CLUTCH LEVER | |
| 56156604N | 56156604N | 1 | CLUTCH LEVER | |
| 56156874N | 56156874N | 1 | PANEL | |
| 58002538 | 58002538 | 1 | ACCELERATOR | |
| 58042167 | 58042167 | 1 | SHEATH END | |
| 58043216 | 58043216 | 1 | LINE AND SHEATH (L=1160) | |
| 580432016 | 58043216 | | LINE AND SHEATH (L=1160) | |
| 58047649 | 58047649 | 1 | CLEVIS | |
| 58048000 | 58048000 | 1 | KNOB D=27 | |
| 58048005 | 58048005 | 1 | LINE AND SHEATH (L=1170) | |
| 58056154 | 58056154 | 1 | RESTORING SPRING | |
| 58056155 | 58056155 | 1 | RESTORING SPRING | |
| 58056593 | 58056593 | 1 | SPRING | |
| 58056595 | 58056595 | 1 | ADJUSTING SCREW M8 | |
| 58056605 | 58056605 | 1 | SPRING | |
| 58056812 | 58056812 | 1 | LINE AND SHEATH L=1680 | |
| 58057211 | 58057211 | 1 | TRANSMISSION | |
| 58057263 | 58057263 | 1 | CLAMPING SCREW | |



| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-------------------------------|------|
| 58057342 | 58057342 | 1 | LINE AND SHEATH (L=1470) | |
| 58057357 | 58057357 | 1 | LINE AND SHEATH L=940 | |
| 58057407 | 58057407 | 1 | LINE AND SHEATH M/S L=945 /10 | |
| 58150313 | 58150313 | 1 | CABLE CLAMP | |
| 59257166 | 59257166 | 1 | HANDLE BAR | |





600 serie MAX

COMANDI
(620M-630M-630MSMAX-W5 MUSTER)

| CONTROLS | COMM |
|----------|---------|
| MANDOS | ANTRIEB |

DALLA MACCHINA
DE LA MAQUINA
DE LA MACHINE
FROM THE MACHINE
AB DER MASCHINE

J02
09/20

BCS Motor mowers, BCS 2-wheel tractors - 630 MAX


J02 0 49228 - CONTROLS

01/09/2021

Page 95 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|--------------------------|------|
| 31100451 | 31100451 | 1 | SCREW 3,5X25 | |
| 31241085 | 31241085 | 1 | SELFLOCK NUT M8 6S | |
| 31312082 | 31312082 | 1 | STUD BOLT M8X38X14X20 | |
| 31411104 | 31411104 | 1 | WASHER 10,5x18 | |
| 31421083 | 31421083 | 1 | WASHER | |
| 34110028 | 34110028 | 1 | SPLIT PIN A3X15 UNI 1336 | |
| 34211029 | 34211029 | 1 | ROLL PIN | |
| 34213020 | 34213020 | 1 | ROLL PIN | |
| 37911532 | 37911532 | 1 | BALL 15/32 | |
| 38211400 | 38211400 | 1 | OIL SEAL 14X22X4 | |
| 52357250 | 52357250 | 1 | PIN | |
| 55157212 | 55157212 | 1 | GRIP | |
| 55157213 | 55157213 | 1 | GRIP | |
| 55242528 | 55242528 | 1 | JOINT | |
| 56157235 | 56157235 | 1 | GEAR SELECTOR | |
| 56157244 | 56157244 | 1 | STOP | |
| 56157246 | 56157246 | 1 | STOP | |
| 56157256 | 56157256 | 1 | PTO LEVER | |
| 56157353 | 56157353 | 1 | GEAR SELECTOR | |
| 56157367 | 56157367 | 1 | ROD | |
| 58043176 | 58043176 | 1 | SPRING | |
| 58057247 | 58057247 | 1 | SPRING | |
| 58057698 | 58057698 | 1 | DECAL | |
| 59056975 | 59056975 | 1 | SUPPORT | |
| 59057240 | 59057240 | 1 | LEVER | |
| 59057252 | 59057252 | 1 | GEAR LEVER | |
| 59057366 | 59057366 | 1 | PULL ROD | |





| | | | | | | |
|------------|----------------------|--|--|--|----------------|-----------|
| BCS | 600 serie MAX | COMANDI (600M 0 - 620M - 630M - 630WSMAX - WS MUSTER) CONTROLS MANDOS | DALLA MACCHINA DE LA MAQUINA DE LA MACHINE FROM THE MACHINE AB DER MASCHINE ON. | AGGIORNAMENTO REVISION MISE A JOUR APLIZAMIENTO ANPASSUNG | J02 | Rev. 1 |
| | | | | | 06/2006 | ZENE |



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

J02_1_71787 - CONTROLS

01/09/2021

Page 97 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|--------------------------|------|
| 31100451 | 31100451 | 1 | SCREW 3,5X25 | |
| 31241085 | 31241085 | 1 | SELFLOCK NUT M8 6S | |
| 31312082 | 31312082 | 1 | STUD BOLT M8X38X14X20 | |
| 31411104 | 31411104 | 1 | WASHER 10,5x18 | |
| 31421083 | 31421083 | 1 | WASHER | |
| 34110028 | 34110028 | 1 | SPLIT PIN A3X15 UNI 1336 | |
| 34211029 | 34211029 | 1 | ROLL PIN | |
| 34213020 | 34213020 | 1 | ROLL PIN | |
| 37911532 | 37911532 | 1 | BALL 15/32 | |
| 38211400 | 38211400 | 1 | OIL SEAL 14X22X4 | |
| 52357250 | 52357250 | 1 | PIN | |
| 55142076 | 55142076 | 1 | KNOB | |
| 55157212 | 55157212 | 1 | GRIP | |
| 55157213 | 55157213 | 1 | GRIP | |
| 55242528 | 55242528 | 1 | JOINT | |
| 56149655 | 56149655 | 1 | PULL ROD | |
| 56157235 | 56157235 | 1 | GEAR SELECTOR | |
| 56157244 | 56157244 | 1 | STOP | |
| 56157246 | 56157246 | 1 | STOP | |
| 56157256 | 56157256 | 1 | PTO LEVER | |
| 56157353 | 56157353 | 1 | GEAR SELECTOR | |
| 56157367 | 56157367 | 1 | ROD | |
| 58043176 | 58043176 | 1 | SPRING | |
| 58057247 | 58057247 | 1 | SPRING | |
| 58057698 | 58057698 | 1 | DECAL | |
| 59056975 | 59056975 | 1 | SUPPORT | |
| 59056989 | 59056989 | 1 | SUPPORT | |
| 59057240 | 59057240 | 1 | LEVER | |
| 59057252 | 59057252 | 1 | GEAR LEVER | |



| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|---------------|------|
| 59057270 | 59057270 | 1 | GEARSHIFT ROD | |
| 59057366 | 59057366 | 1 | PULL ROD | |




BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

J02_1_71787 - CONTROLS

01/09/2021

Page 99 / 139



| | | | | | |
|------------|----------------------|--|---|------------|---------------|
| BCS | 600 serie MAX | COMANDI (600M-620M-630M-630WS MAX-WS MUSTER) | DALLA MACCHINA DE LA MAQUINA DE LA MACHINA FROM THE MACHINE AB DER MASCHINE | J02 | Rev. 2 |
| CONTROLS | MANDOS | COMMANDES | ANTRIEBE | | |
| ★ N. | 867450 | 11/2010 | DITE BCS - Scala 1:6 | | |



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

J02_2_142213 - CONTROLS

01/09/2021


Page 100 / 139

| Pos. | Id | Q.ty | Description | Note |
|-----------|-----------|------|--------------------------|------|
| 31100451 | 31100451 | 1 | SCREW 3,5X25 | |
| 31241080 | 31241080 | 1 | HEXAGON SELFLOCK NUT M8 | |
| 31241084 | 31241084 | 1 | SELFLOCK NUT M8 6S | |
| 31312082 | 31312082 | 1 | STUD BOLT M8X38X14X20 | |
| 31411104 | 31411104 | 1 | WASHER 10,5x18 | |
| 34110028 | 34110028 | 1 | SPLIT PIN A3X15 UNI 1336 | |
| 34211029 | 34211029 | 1 | ROLL PIN | |
| 34213020 | 34213020 | 1 | ROLL PIN | |
| 37911532 | 37911532 | 1 | BALL 15/32 | |
| 38211400 | 38211400 | 1 | OIL SEAL 14X22X4 | |
| 52357250 | 52357250 | 1 | PIN | |
| 55142076 | 55142076 | 1 | KNOB | |
| 55157212 | 55157212 | 1 | GRIP | |
| 55157213 | 55157213 | 1 | GRIP | |
| 55242528 | 55242528 | 1 | JOINT | |
| 56149655 | 56149655 | 1 | PULL ROD | |
| 56157246 | 56157246 | 1 | STOP | |
| 56157256 | 56157256 | 1 | PTO LEVER | |
| 56157367 | 56157367 | 1 | ROD | |
| 58043176 | 58043176 | 1 | SPRING | |
| 58057247 | 58057247 | 1 | SPRING | |
| 58057698 | 58057698 | 1 | DECAL | |
| 59056975 | 59056975 | 1 | SUPPORT | |
| 59056989 | 59056989 | 1 | SUPPORT | |
| 59057240 | 59057240 | 1 | LEVER | |
| 59057270 | 59057270 | 1 | GEARSHIFT ROD | |
| 59057366 | 59057366 | 1 | PULL ROD | |
| 56157271N | 56157271N | 1 | COMMAND LEVER | |
| 56157424H | 56157424H | 1 | GEARS SELECTOR | |



| Pos. | Id | Q.ty | Description | Note |
|-----------|-----------|------|-------------------------------|------|
| 56157429N | 56157429N | 1 | CONTRASTO LEVA INVERTITORE MF | |
| 56157432H | 56157432H | 1 | SPEED SELECTOR | |
| 58057232Z | 58057232Z | 1 | SPRING | |
| 59057430N | 59057430N | 1 | COMPLETE GEAR LEVER | |





i = info - stop 2 sec. ★ = new part



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

J.02.02.A0019_03 - J02_03 - CONTROLS

01/09/2021

Page 103 / 139

| Pos. | Id | Q.ty | Description | Note |
|------|-----------|------|-------------------------------|--------------------------------|
| 1 | 31241080 | | HEXAGON SELFLOCK NUT M8 | |
| 2 | 58057232Z | | SPRING | |
| 3 | 56356738Z | | COMMAND LEVER | REPLACES 59057430N + 56157271N |
| 4 | 34110028 | | SPLIT PIN A3X15 UNI 1336 | |
| 5 | 31411104 | | WASHER 10,5x18 | |
| 6 | 55242528 | | JOINT | |
| 7 | 58043176 | | SPRING | |
| 8 | 590C1008N | | GEAR LEVER | REPLACES 59057430N + 56157271N |
| 9 | 59057270 | | GEARSHIFT ROD | 600M |
| 9 | 59057366 | | PULL ROD | |
| 10 | 38211400 | | OIL SEAL 14X22X4 | |
| 11 | 37911532 | | BALL 15/32 | |
| 12 | 31312082 | | STUD BOLT M8X38X14X20 | |
| 13 | 31241084 | | SELFLOCK NUT M8 6S | |
| 14 | 56157424H | | GEARS SELECTOR | |
| 14 | 56157432H | | SPEED SELECTOR | WS |
| 15 | 59056975 | | SUPPORT | |
| 15 | 59056989 | | SUPPORT | 600M |
| 16 | 56157429N | | CONTRASTO LEVA INVERTITORE MF | |
| 17 | 55142076 | | KNOB | 600M |
| 18 | 31100451 | | SCREW 3,5X25 | |
| 19 | 55157213 | | GRIP | |
| 20 | 55157212 | | GRIP | |
| 21 | 58057247 | | SPRING | |
| 22 | 59057240 | | LEVER | |
| 23 | 56157246 | | STOP | |
| 24 | 34211029 | | ROLL PIN | |
| 25 | 52357250 | | PIN | |
| 26 | 34213020 | | ROLL PIN | |



| Pos. | Id | Q.ty | Description | Note |
|------|----------|------|-------------|------|
| 27 | 56157256 | | PTO LEVER | |
| 28 | 56149655 | | PULL ROD | 600M |
| 28 | 56157367 | | ROD | |




BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

J.02.02.A0019_03 - J02_03 - CONTROLS

01/09/2021

Page 105 / 139



600 serie MAX

HANDLEBAR CONTROLS

CONTROLES EN EL MANILLAR

COMANDI SUL MANUBRIO★ (620M-630M)

CONTROLES SUR LE MANCHERON

KONTROLLEN AM LINCHER

DALLA MACCHINA
DE LA MAQUINA
DE LA MACHINA
FROM THE MACHINE
AB DER MASCHINE

★ N.

867450

J05

Rev. 0
DITE BCS - Scala 1:5

01/09/2021

Page 106 / 139




BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

J05_0_142286 - HANDLEBARCONTROLS

| Pos. | Id | Q.ty | Description | Note |
|-----------|-----------|------|---------------------------------|------|
| 31100451 | 31100451 | 1 | SCREW 3,5X25 | |
| 31112090 | 31112090 | 1 | SCREW TE M6X16 UNI 5739 8G | |
| 31121020 | 31121020 | 1 | SCREW TBCEI M8X40 ISO7380 10K Z | |
| 31211080 | 31211080 | 1 | NUT M8 | |
| 31241084 | 31241084 | 1 | SELFLOCK NUT M8 6S | |
| 34213020 | 34213020 | 1 | ROLL PIN | |
| 53156860 | 53156860 | 1 | COMMAND LEVER | |
| 55157212 | 55157212 | 1 | GRIP | |
| 55157213 | 55157213 | 1 | GRIP | |
| 55157214 | 55157214 | 1 | GRIP | |
| 55157215 | 55157215 | 1 | GRIP | |
| 55256757 | 55256757 | 1 | PULLEY | |
| 56148287 | 56148287 | 1 | STUD BOLT | |
| 58049670 | 58049670 | 1 | LINE AND SHEATH (L=1080) | |
| 58049830 | 58049830 | 1 | SPRING | |
| 58056595 | 58056595 | 1 | ADJUSTING SCREW M8 | |
| 58056843 | 58056843 | 1 | LINE AND SHEATH L=980 | |
| 58056848 | 58056848 | 1 | LINE AND SHEATH L=930 | |
| 58057220 | 58057220 | 1 | LINE AND SHEATH L=880 | |
| 59256850 | 59256850 | 1 | SUPPORT | |
| 59257217 | 59257217 | 1 | SC.LEVA FRENO MF /2010 CON P.I | |
| 52156810Z | 52156810Z | 1 | COMMAND LEVER | |
| 56156832Z | 56156832Z | 1 | U BOLT | |
| 56156859Z | 56156859Z | 1 | FORK | |
| 56356833Z | 56356833Z | 1 | SMALL PLATE | |
| 56356840Z | 56356840Z | 1 | CLAMPING SCREW | |
| 56356858Z | 56356858Z | 1 | PIN | |





| | | | | | | | | |
|------------|---------------|------------------|----------------------------|-------------------|---|--------|---------|------------------------|
| BCS | 600 serie MAX | BRAKES FRENOS | FRENI (620M★-630M-650M) | FREINS BREMSEN | DALLA MACCHINA DE LA MAQUINA DE LA MACHINA FROM THE MACHINE AB DER MASCHINE | ★N. | K01 | Rev. 1 |
| | | | | | | 867450 | 11/2010 | DITE.BCS - Scatola 1:4 |



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

K01_1_142487 - BRAKES

01/09/2021

Page 108 / 139





| Pos. | Id | Q.ty | Description | Note |
|-----------|-----------|------|--------------------------------|------|
| 31112090 | 31112090 | 1 | SCREW TE M6X16 UNI 5739 8G | |
| 31112166 | 31112166 | 1 | SCREW TE C/F M8X25 DIN 6921 8G | |
| 31152085 | 31152085 | 1 | SCREW TCEI M8X25 UNI 5931 | |
| 31241084 | 31241084 | 1 | SELFLOCK NUT M8 6S | |
| 56356840 | 56356840 | 1 | CLAMPING SCREW | |
| 58048214 | 58048214 | 1 | BRAKE BLOCK | |
| 58048215 | 58048215 | 1 | SPRING | |
| 58056918 | 58056918 | 1 | SPRING | |
| 53156826N | 53156826N | | FLANGE | |
| 56148218N | 56148218N | 1 | BRAKE DRUM | |
| 56156831Z | 56156831Z | 1 | FORK | |
| 59048200N | 59048200N | 1 | HALF DISC | |
| 59048208N | 59048208N | 1 | HALF DISC | |





| | A | B | C |
|-----------------|----------------|-----------|-----------|
| 3.50 - 8" (600) | 391.13502 | 394.13502 | 580.43370 |
| 3.50 - 8" | 391.13502 | 394.13502 | 580.43250 |
| 4.00 - 8" | 391.14008 | 394.14008 | 580.43250 |
| 4.0 - 10" | 391.14010 | 394.14010 | 580.48330 |
| 5.0 - 10" | 391.15010 | 394.15010 | 580.48330 |
| 6.5 / 80 - 12" | 391.16018 | 394.16018 | 580.44804 |
| 21 x 11.00 - 8" | 391.13501 | TUBELESS | 580.57795 |
| 20 x 8.00 - 10" | 391.18021 (TR) | 394.16025 | 580.57799 |
| 20 x 8.00 - 10" | 391.18020 (GA) | 394.15010 | 580.57799 |

922.57794

KIT GEMELLAGGIO PER 4.0-10" / 5.0-10"
 TWINNING KIT FOR 4.0-10" / 5.0-10"
 JUMELAGE KIT POUR 4.0-10" / 5.0-10"
 KIT GEMELOS POR 4.0-10" / 5.0-10"
 ZWILLINGSKIT 4.0-10" / 5.0-10"



592.59578 (4.0-10" / 5.0-10" / 21x11.00-8")

**600 serie MAX**WHEELS
RUEDAS**RUOTE**ROUES
RÄDERDALLA MACCHINA
DE LA MAQUINA
DE LA MACHINE
FROM THE MACHINE
AB DER MASCHINE
N.**L01**Rev.
0
09/2004

BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

L01_0_49309 - WHEELS

01/09/2021

Page 110 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-------------------------------|------|
| 31112149 | 31112149 | 1 | SCREW TE M8X12 UNI 5739 8G | |
| 31112151 | 31112151 | 1 | SCREW TE M8X25 UNI 5739 8G | |
| 31112219 | 31112219 | 1 | SCREW TE M10X25 UNI 5739 | |
| 31211100 | 31211100 | 1 | NUT M10 | |
| 31241080 | 31241080 | 1 | HEXAGON SELFLOCK NUT M8 | |
| 31241100 | 31241100 | 1 | SELFLOCK HEXAGON NUT M10 | |
| 31241120 | 31241120 | 1 | SELFLOCK NUT M12 | |
| 31312103 | 31312103 | 1 | STUD BOLT M10X46X24X16 | |
| 31421101 | 31421101 | 1 | WASHER 10 DIN 679 | |
| 31423084 | 31423084 | 1 | SPRING WASHER 8,4 | |
| 31423105 | 31423105 | 1 | SPRING WASHER 10,5 | |
| 31423130 | 31423130 | 1 | SPRING WASHER EL 13 DIN 137-B | |
| 39113501 | 39113501 | 1 | TYRE 21X11.00-8 | |
| 39113502 | 39113502 | 1 | TYRE 3.50-8 2PR | |
| 39114008 | 39114008 | 1 | TYRE 4.00-8 2PR | |
| 39114010 | 39114010 | 1 | TYRE 4.0-10 2PR | |
| 39115010 | 39115010 | 1 | TYRE 5.00-10 2PR | |
| 39116018 | 39116018 | 1 | TYRE 6.5/80-12 2PR | |
| 39118020 | 39118020 | 1 | TYRE 20X8.00-10 4PR | |
| 39118021 | 39118021 | 1 | COVER 20x8.00-10 FLAT-TR | |
| 39413502 | 39413502 | 1 | INNER TUBE X 3.50-8 | |
| 39414008 | 39414008 | 1 | INNER TUBE X 4.00-8 | |
| 39414010 | 39414010 | 1 | INNER TUBE x 4.0-10 | |
| 39415010 | 39415010 | 1 | INNER TUBE X 4.0/5.0-10 | |
| 39416018 | 39416018 | 1 | INNER TUBE X 6-5/80-12 | |
| 39416025 | 39416025 | 1 | INNER TUBE X 20X8.00-10 TR | |
| 53143712 | 53143712 | 1 | SPACER | |
| 56359553 | 56359553 | 1 | PIN | |
| 56359554 | 56359554 | 1 | PIN | |




| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-------------------------------------|------|
| 56359593 | 56359593 | 1 | DRIVING PIN | |
| 58043250 | 58043250 | 1 | RIM 2.50-8 | |
| 58043370 | 58043370 | 1 | RIM 2.50-8 | |
| 58044804 | 58044804 | 1 | RIM 5JA12 | |
| 58048330 | 58048330 | 1 | RIM 3.50D10 CR | |
| 58057795 | 58057795 | 1 | RIM 8.50-8 | |
| 58057799 | 58057799 | 1 | RIM 6.00I-10 | |
| 59047743 | 59047743 | 1 | HUBCOVER | |
| 59047745 | 59047745 | 1 | HUBCOVER | |
| 59059551 | 59059551 | 1 | FLANGE | |
| 59059561 | 59059561 | 1 | SCREW | |
| 59059571 | 59059571 | 1 | FLANGE | |
| 59059591 | 59059591 | 1 | SPACER | |
| 59259555 | 59259555 | 1 | SUPER-BITE WHEEL X 5.00-10 | |
| 59259563 | 59259563 | 1 | WHEEL | |
| 59259567 | 59259567 | 1 | WHEEL | |
| 59259578 | 59259578 | 1 | FLANGE KIT | |
| 59259580 | 59259580 | 1 | FLANGE KIT | |
| 59259598 | 59259598 | 1 | WHEEL | |
| 92243685 | 92243685 | 1 | WHEEL SPACERS CM 6 (PAIR) | |
| 92257794 | 92257794 | 1 | ADAPTER PLATES FOR WHEELS (PAIR) | |
| 92259580 | 92259580 | 1 | RUOTE SUPER-BITE 20X8.0-10 (COPPIA) | |



| | A | B | C |
|-----------------|---------------|----------|----------------------|
| 3.50 - 8" (600) | 39113502 | 39413502 | 58043370 |
| 3.50 - 8" | 39113502 | 39413502 | 58043250 |
| 4.00 - 8" | 39114008 | 39414008 | 58043250 |
| 4.0 - 10" | 39114010 | 39414010 | 58048330 |
| 5.0 - 10" | 39115010 | 39415010 | 58048330 |
| 6.5 / 80 - 12" | 39116018 | 39416018 | 58044804 |
| 21 x 11.00 - 8" | 39113501 | TUBELESS | 58057795 |
| 20 x 8.00 - 10" | 39118021 (TR) | 39416025 | 58057799 |
| 20 x 8.00 - 10" | 39118020 (GA) | 39415010 | 58057797 (WS MUSTER) |
| 16x6.50-8" | 39111608 | 39411608 | 58057839 |

922.57794

KIT GEMELLAGGIO PER 4.0-10" / 5.0-10"
 TWINNING KIT FOR 4.0-10" / 5.0-10"
 JUMELAGE KIT POUR 4.0-10" / 5.0-10"
 KIT GEMELOS POR 4.0-10" / 5.0-10"
 ZWILLINGSKIT 4.0-10" / 5.0-10"



592.59580 (4.00-8")

312.41120
 314.23130
 590.59571
 563.59553

314.23130

312.41120

590.59551

312.41080

314.23084

311.12151


563.59554

314.23105

312.41100

(4.00-8") 592.59567
 (4.0-10") 592.59563
 (5.0-10") 592.59555

590.59561



20x8.00-10"

WS MUSTER (922.59580)

592.59578
 (4.0-10" / 5.0-10" / 21x11.00-8")

WHEELS
 RUEDAS

RUOTE

ROUES
 RÄDER

DALLA MACCHINA
 DE LA MAQUINA
 DE LA MACHINE
 FROM THE MACHINE
 AB DER MASCHINE

ERRATA CORRIGE

N.

L01

Rev. 1

10/2004

ZENE



600 serie MAX

BCS Motor mowers, BCS 2-wheel tractors - 630 MAX



L01_1_60132 - WHEELS

01/09/2021

Page 113 / 139



| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-------------------------------|------|
| 31112149 | 31112149 | | SCREW TE M8X12 UNI 5739 8G | |
| 31112151 | 31112151 | | SCREW TE M8X25 UNI 5739 8G | |
| 31112219 | 31112219 | | SCREW TE M10X25 UNI 5739 | |
| 31211100 | 31211100 | | NUT M10 | |
| 31241080 | 31241080 | | HEXAGON SELFLOCK NUT M8 | |
| 31241100 | 31241100 | | SELFLOCK HEXAGON NUT M10 | |
| 31241120 | 31241120 | | SELFLOCK NUT M12 | |
| 31312103 | 31312103 | | STUD BOLT M10X46X24X16 | |
| 31421101 | 31421101 | | WASHER 10 DIN 679 | |
| 31423084 | 31423084 | | SPRING WASHER 8,4 | |
| 31423105 | 31423105 | | SPRING WASHER 10,5 | |
| 31423130 | 31423130 | | SPRING WASHER EL 13 DIN 137-B | |
| 39111608 | 39111608 | 1 | TYRE 16X6.50-8 4PR | |
| 39113501 | 39113501 | | TYRE 21X11.00-8 | |
| 39113502 | 39113502 | | TYRE 3.50-8 2PR | |
| 39114008 | 39114008 | | TYRE 4.00-8 2PR | |
| 39114010 | 39114010 | | TYRE 4.0-10 2PR | |
| 39115010 | 39115010 | | TYRE 5.00-10 2PR | |
| 39116018 | 39116018 | | TYRE 6.5/80-12 2PR | |
| 39118020 | 39118020 | | TYRE 20X8.00-10 4PR | |
| 39118021 | 39118021 | | COVER 20x8.00-10 FLAT-TR | |
| 39411608 | 39411608 | 1 | INNER TUBE PER 16-6.50-8 | |
| 39413502 | 39413502 | | INNER TUBE X 3.50-8 | |
| 39414008 | 39414008 | | INNER TUBE X 4.00-8 | |
| 39414010 | 39414010 | | INNER TUBE x 4.0-10 | |
| 39415010 | 39415010 | | INNER TUBE X 4.0/5.0-10 | |
| 39416018 | 39416018 | | INNER TUBE X 6-5/80-12 | |
| 39416025 | 39416025 | | INNER TUBE X 20X8.00-10 TR | |
| 53143712 | 53143712 | | SPACER | |



| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-------------------------------------|------|
| 56359553 | 56359553 | | PIN | |
| 56359554 | 56359554 | | PIN | |
| 56359593 | 56359593 | | DRIVING PIN | |
| 58043250 | 58043250 | | RIM 2.50-8 | |
| 58043370 | 58043370 | | RIM 2.50-8 | |
| 58044804 | 58044804 | | RIM 5JA12 | |
| 58048330 | 58048330 | | RIM 3.50D10 CR | |
| 58057795 | 58057795 | | RIM 8.50-8 | |
| 58057797 | 58057797 | 1 | RIM 6.00I-10 MUSTER | |
| 58057799 | 58057799 | | RIM 6.00I-10 | |
| 58057839 | 58057839 | 1 | RIM 5.25X8 | |
| 59047743 | 59047743 | | HUBCOVER | |
| 59047745 | 59047745 | | HUBCOVER | |
| 59059551 | 59059551 | | FLANGE | |
| 59059561 | 59059561 | | SCREW | |
| 59059571 | 59059571 | | FLANGE | |
| 59059591 | 59059591 | | SPACER | |
| 59259555 | 59259555 | | SUPER-BITE WHEEL X 5.00-10 | |
| 59259563 | 59259563 | | WHEEL | |
| 59259567 | 59259567 | | WHEEL | |
| 59259578 | 59259578 | | FLANGE KIT | |
| 59259580 | 59259580 | | FLANGE KIT | |
| 59259598 | 59259598 | | WHEEL | |
| 92243685 | 92243685 | | WHEEL SPACERS CM 6 (PAIR) | |
| 92257794 | 92257794 | | ADAPTER PLATES FOR WHEELS (PAIR) | |
| 92259580 | 92259580 | | RUOTE SUPER-BITE 20X8.0-10 (COPPIA) | |



| | A | B | C |
|-----------------|---------------|----------|----------------------|
| 3.50 - 8" (600) | 39113502 | 39413502 | 58043370 |
| 3.50 - 8" | 39113502 | 39413502 | 58043250 |
| 4.00 - 8" | 39114008 | 39414008 | 58043250 |
| 4.0 - 10" | 39114010 | 39414010 | 58048330 |
| 4.0 - 10" | 39114010 | 39414010 | 58057789 (FIX) |
| 5.0 - 10" | 39115010 | 39415010 | 58048330 |
| 5.0 - 10" | 39115010 | 39415010 | 58057789 (FIX) |
| 6.5 / 80 - 12" | 39116018 | 39416018 | 58044804 |
| 21 x 11.00 - 8" | 39113501 | TUBELESS | 58057795 |
| 20 x 8.00 - 10" | 39118021 (TR) | 39416025 | 58057799 |
| 20 x 8.00 - 10" | 39118020 (GA) | 39415010 | 58057797 (WS MUSTER) |
| 16 x 6.50 - 8" | 39111608 | 39411608 | 58057839 |



600 serie MAX

WHEELS
RUEDAS

RUOTE

ROUES
RÄDER

DALLA MACCHINA
DE LA MAQUINA
DE LA MACHINE
FROM THE MACHINE
AB DER MASCHINE
ON.

AGGIORNAMENTO
REVISION
MISE A JOUR
APLAMIENTO
ANPASSUNG

L01

Rev.
01/2008
ZENE



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

L01_2_100224 - WHEELS

01/09/2021

Page 116 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-------------------------------|------|
| 31112149 | 31112149 | 1 | SCREW TE M8X12 UNI 5739 8G | |
| 31112151 | 31112151 | 1 | SCREW TE M8X25 UNI 5739 8G | |
| 31112219 | 31112219 | 1 | SCREW TE M10X25 UNI 5739 | |
| 31211100 | 31211100 | 1 | NUT M10 | |
| 31241080 | 31241080 | 1 | HEXAGON SELFLOCK NUT M8 | |
| 31241100 | 31241100 | 1 | SELFLOCK HEXAGON NUT M10 | |
| 31241120 | 31241120 | 1 | SELFLOCK NUT M12 | |
| 31312103 | 31312103 | 1 | STUD BOLT M10X46X24X16 | |
| 31421101 | 31421101 | 1 | WASHER 10 DIN 679 | |
| 31423084 | 31423084 | 1 | SPRING WASHER 8,4 | |
| 31423105 | 31423105 | 1 | SPRING WASHER 10,5 | |
| 31423130 | 31423130 | 1 | SPRING WASHER EL 13 DIN 137-B | |
| 39111608 | 39111608 | 1 | TYRE 16X6.50-8 4PR | |
| 39113501 | 39113501 | 1 | TYRE 21X11.00-8 | |
| 39113502 | 39113502 | 1 | TYRE 3.50-8 2PR | |
| 39114008 | 39114008 | 1 | TYRE 4.00-8 2PR | |
| 39114010 | 39114010 | 1 | TYRE 4.0-10 2PR | |
| 39115010 | 39115010 | 1 | TYRE 5.00-10 2PR | |
| 39116018 | 39116018 | 1 | TYRE 6.5/80-12 2PR | |
| 39118020 | 39118020 | 1 | TYRE 20X8.00-10 4PR | |
| 39118021 | 39118021 | 1 | COVER 20x8.00-10 FLAT-TR | |
| 39411608 | 39411608 | 1 | INNER TUBE PER 16-6.50-8 | |
| 39413502 | 39413502 | 1 | INNER TUBE X 3.50-8 | |
| 39414008 | 39414008 | 1 | INNER TUBE X 4.00-8 | |
| 39414010 | 39414010 | 1 | INNER TUBE x 4.0-10 | |
| 39415010 | 39415010 | 1 | INNER TUBE X 4.0/5.0-10 | |
| 39416018 | 39416018 | 1 | INNER TUBE X 6-5/80-12 | |
| 39416025 | 39416025 | 1 | INNER TUBE X 20X8.00-10 TR | |
| 53143712 | 53143712 | 1 | SPACER | |



| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-------------------------------------|------|
| 56359553 | 56359553 | 1 | PIN | |
| 56359554 | 56359554 | 1 | PIN | |
| 56359593 | 56359593 | 1 | DRIVING PIN | |
| 58043250 | 58043250 | 1 | RIM 2.50-8 | |
| 58043370 | 58043370 | 1 | RIM 2.50-8 | |
| 58044804 | 58044804 | 1 | RIM 5JA12 | |
| 58048330 | 58048330 | 1 | RIM 3.50D10 CR | |
| 58057789 | 58057789 | 1 | RIM 3.50-10 WS2 | |
| 58057795 | 58057795 | 1 | RIM 8.50-8 | |
| 58057797 | 58057797 | 1 | RIM 6.00I-10 MUSTER | |
| 58057799 | 58057799 | 1 | RIM 6.00I-10 | |
| 58057839 | 58057839 | 1 | RIM 5.25X8 | |
| 59047743 | 59047743 | 1 | HUBCOVER | |
| 59047745 | 59047745 | 1 | HUBCOVER | |
| 59059551 | 59059551 | 1 | FLANGE | |
| 59059561 | 59059561 | 1 | SCREW | |
| 59059571 | 59059571 | 1 | FLANGE | |
| 59059591 | 59059591 | 1 | SPACER | |
| 59259555 | 59259555 | 1 | SUPER-BITE WHEEL X 5.00-10 | |
| 59259563 | 59259563 | 1 | WHEEL | |
| 59259567 | 59259567 | 1 | WHEEL | |
| 59259578 | 59259578 | 1 | FLANGE KIT | |
| 59259580 | 59259580 | 1 | FLANGE KIT | |
| 59259598 | 59259598 | 1 | WHEEL | |
| 92243685 | 92243685 | 1 | WHEEL SPACERS CM 6 (PAIR) | |
| 92257794 | 92257794 | 1 | ADAPTER PLATES FOR WHEELS (PAIR) | |
| 92259580 | 92259580 | 1 | RUOTE SUPER-BITE 20X8.0-10 (COPPIA) | |



600 MAX

58057642 0

615 MAX

58057627

615 L MAX

58057628

615 S MAX

58057629

650 MAX

58057630

620 MAX

58057631

630 MAX

58057632

WS MUSTER


58057749

630 WS MAX

58057633

KIT REF.


58157634(626 REF.)
58157635(636L REF.)
58157636(616 REF.)



53048656



53093088



58059211



58057680



600 serie MAX

STICKERS
ADHESIVOS

ADESIM

AUTOCOLLANTS
AUFKLEBES

DALLA MACCHINA
DE LA MAQUINA
DE LA MACHINE
FROM THE MACHINE
AB DER MASCHINE
ON.

AGGIORNAMENTO
REVISION
MISE A JOUR
APLAZAMIENTO
ANPASSUNG

M01 Rev.
1
06/2006



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

M01_1_71870 - STICKERS

01/09/2021

Page 119 / 139


| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|--------------------------------|------|
| 53048656 | 53048656 | 1 | OVAL LOGO | |
| 53093088 | 53093088 | 1 | OVAL LOGO | |
| 58057627 | 58057627 | 1 | DECAL 615 MAX | |
| 58057628 | 58057628 | 1 | DECAL 615 L MAX | |
| 58057629 | 58057629 | 1 | DECAL 615 S MAX | |
| 58057630 | 58057630 | 1 | DECAL 650 MAX | |
| 58057631 | 58057631 | 1 | DECAL 620 MAX | |
| 58057632 | 58057632 | 1 | DECAL 630 MAX | |
| 58057633 | 58057633 | 1 | DECAL 630WS MAX | |
| 58057642 | 58057642 | 1 | DECAL 600 MAX | |
| 58057680 | 58057680 | 1 | DECAL | |
| 58057749 | 58057749 | 1 | DECAL WS MUSTER | |
| 58059211 | 58059211 | 1 | DECAL BCS | |
| 58157634 | 58157634 | 1 | STICKERS REFORM 620 MAX | |
| 58157635 | 58157635 | 1 | STICKERS REFORM 631L MAX | |
| 58157636 | 58157636 | 1 | SET OF REFORM STICKERS 616 MAX | |



| A | B | C |
|-----------------|---------------|----------------------|
| 3.50 - 8" (600) | 39113502 | 39413502 |
| 3.50 - 8" | 39113502 | 39413502 |
| 4.00 - 8" | 39114008 | 39414008 |
| 4.0 - 10" | 39114010 | 39415010 O(1) |
| 5.0 - 10" | 39115010 | 39415010 |
| 6.5 / 80 - 12" | 39116018 | 39416018 |
| 21 x 11.00 - 8" | 39113501 | TUBELESS |
| 20 x 8.00 - 10" | 39118021 (TR) | 39416025 |
| 20 x 8.00 - 10" | 39118020 (GA) | 39415010 |
| 16 x 6.50 - 8" | 39111665 O(2) | 39411608 |
| | | 58043370 |
| | | 58043250 |
| | | 58043250 |
| | | 58048330 |
| | | 58048330 |
| | | 58044804 |
| | | 58057795 |
| | | 58057799 |
| | | 58057797 (WS MUSTER) |
| | | 58057839 |

(1) sostituisce 39414010

(2) ERRATA CORRIGE



600 serie MAX

WHEELS
Ruedas

RUOTE

ROUES
RÄDER

DALLA MACCHINA
DE LA MAQUINA
DE LA MACHINE
FROM THE MACHINE
AB DER MASCHINE

AGGIORNAMENTI
REVISIONI
MISE A JOUR
APLAZAMIENTO
ANPASSUNG

L01

Rev.
3
010

BCS Motor mowers BCS 2-wheel tractors - 630 MAX

L01_3_142628 - WHEELS

01/09/2021

Page 121 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-------------------------------|------|
| 31112149 | 31112149 | 1 | SCREW TE M8X12 UNI 5739 8G | |
| 31112151 | 31112151 | 1 | SCREW TE M8X25 UNI 5739 8G | |
| 31112219 | 31112219 | 1 | SCREW TE M10X25 UNI 5739 | |
| 31211100 | 31211100 | 1 | NUT M10 | |
| 31241080 | 31241080 | 1 | HEXAGON SELFLOCK NUT M8 | |
| 31241100 | 31241100 | 1 | SELFLOCK HEXAGON NUT M10 | |
| 31241120 | 31241120 | 1 | SELFLOCK NUT M12 | |
| 31312103 | 31312103 | 1 | STUD BOLT M10X46X24X16 | |
| 31421101 | 31421101 | 1 | WASHER 10 DIN 679 | |
| 31423084 | 31423084 | 1 | SPRING WASHER 8,4 | |
| 31423105 | 31423105 | 1 | SPRING WASHER 10,5 | |
| 31423130 | 31423130 | 1 | SPRING WASHER EL 13 DIN 137-B | |
| 39111665 | 39111665 | 1 | TYRE 16X6.50-8 4PR | |
| 39113501 | 39113501 | 1 | TYRE 21X11.00-8 | |
| 39113502 | 39113502 | 1 | TYRE 3.50-8 2PR | |
| 39114008 | 39114008 | 1 | TYRE 4.00-8 2PR | |
| 39114010 | 39114010 | 1 | TYRE 4.0-10 2PR | |
| 39115010 | 39115010 | 1 | TYRE 5.00-10 2PR | |
| 39116018 | 39116018 | 1 | TYRE 6.5/80-12 2PR | |
| 39118020 | 39118020 | 1 | TYRE 20X8.00-10 4PR | |
| 39118021 | 39118021 | 1 | COVER 20x8.00-10 FLAT-TR | |
| 39411608 | 39411608 | 1 | INNER TUBE PER 16-6.50-8 | |
| 39413502 | 39413502 | 1 | INNER TUBE X 3.50-8 | |
| 39414008 | 39414008 | 1 | INNER TUBE X 4.00-8 | |
| 39415010 | 39415010 | 1 | INNER TUBE X 4.0/5.0-10 | |
| 39416018 | 39416018 | 1 | INNER TUBE X 6-5/80-12 | |
| 39416025 | 39416025 | 1 | INNER TUBE X 20X8.00-10 TR | |
| 53143712 | 53143712 | 1 | SPACER | |
| 56359553 | 56359553 | 1 | PIN | |



| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-------------------------------------|------|
| 56359554 | 56359554 | 1 | PIN | |
| 56359593 | 56359593 | 1 | DRIVING PIN | |
| 58043250 | 58043250 | 1 | RIM 2.50-8 | |
| 58043370 | 58043370 | 1 | RIM 2.50-8 | |
| 58044804 | 58044804 | 1 | RIM 5JA12 | |
| 58048330 | 58048330 | 1 | RIM 3.50D10 CR | |
| 58057789 | 58057789 | 1 | RIM 3.50-10 WS2 | |
| 58057795 | 58057795 | 1 | RIM 8.50-8 | |
| 58057797 | 58057797 | 1 | RIM 6.00I-10 MUSTER | |
| 58057799 | 58057799 | 1 | RIM 6.00I-10 | |
| 58057839 | 58057839 | 1 | RIM 5.25X8 | |
| 59047743 | 59047743 | 1 | HUBCOVER | |
| 59047745 | 59047745 | 1 | HUBCOVER | |
| 59059551 | 59059551 | 1 | FLANGE | |
| 59059561 | 59059561 | 1 | SCREW | |
| 59059571 | 59059571 | 1 | FLANGE | |
| 59059591 | 59059591 | 1 | SPACER | |
| 59259555 | 59259555 | 1 | SUPER-BITE WHEEL X 5.00-10 | |
| 59259563 | 59259563 | 1 | WHEEL | |
| 59259567 | 59259567 | 1 | WHEEL | |
| 59259578 | 59259578 | 1 | FLANGE KIT | |
| 59259580 | 59259580 | 1 | FLANGE KIT | |
| 59259598 | 59259598 | 1 | WHEEL | |
| 92243685 | 92243685 | 1 | WHEEL SPACERS CM 6 (PAIR) | |
| 92257794 | 92257794 | 1 | ADAPTER PLATES FOR WHEELS (PAIR) | |
| 92259580 | 92259580 | 1 | RUOTE SUPER-BITE 20X8.0-10 (COPPIA) | |



600 MAX

58057642

615 MAX

58057627

615L MAX

58057628

615S MAX

58057629

615 SL MAX

58057453 0

650 MAX

58057630

620 MAX

58057631

630 MAX

58057632

WS MUSTER


58057749

630WS MAX


58057633

KIT REF.


58157634 (626 REF.)
58157635 (636L REF.)
58157636 (616 REF.)



53048656



53093088



58059211



600 serie MAX

STICKERS
ADHESIVOS

ADESIMI

AUTOCOLLANTS
AUFKLEBES

DALLA MACCHINA
DE LA MAQUINA
DE LA MACHINE
FROM THE MACHINE
AB DER MASCHINE
ON.

AGGIORNAMENTO
REVISION
MISE A JOUR
APLAZAMIENTO
ANPASSUNG

M01

Rev.
2
01/2009



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

M01_2_115232 - STICKERS

01/09/2021

Page 124 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|--------------------------------|------|
| 53048656 | 53048656 | 1 | OVAL LOGO | |
| 53093088 | 53093088 | 1 | OVAL LOGO | |
| 58057453 | 58057453 | 1 | DECAL 615SL MAX | |
| 58057627 | 58057627 | 1 | DECAL 615 MAX | |
| 58057628 | 58057628 | 1 | DECAL 615 L MAX | |
| 58057629 | 58057629 | 1 | DECAL 615 S MAX | |
| 58057630 | 58057630 | 1 | DECAL 650 MAX | |
| 58057631 | 58057631 | 1 | DECAL 620 MAX | |
| 58057632 | 58057632 | 1 | DECAL 630 MAX | |
| 58057633 | 58057633 | 1 | DECAL 630WS MAX | |
| 58057642 | 58057642 | 1 | DECAL 600 MAX | |
| 58057680 | 58057680 | 1 | DECAL | |
| 58057749 | 58057749 | 1 | DECAL WS MUSTER | |
| 58059211 | 58059211 | 1 | DECAL BCS | |
| 58157634 | 58157634 | 1 | STICKERS REFORM 620 MAX | |
| 58157635 | 58157635 | 1 | STICKERS REFORM 631L MAX | |
| 58157636 | 58157636 | 1 | SET OF REFORM STICKERS 616 MAX | |



615 MAX

580.57627

615L MAX

580.57628

615S MAX

580.57629

650 MAX

580.57630

KIT REF.

581.57634 (626 REF.)
581.57635 (636L REF.)
581.57636 (616 REF.)

620 MAX

580.57631

630 MAX


580.57632

WS MUSTER


580.57749

630WS MAX

580.57633



530.93088



580.59211



530.48656



580.57680



600 serie MAX

STICKERS
ADHESIVOS

ADESIMI

AUTOCOLLANTS
AUFKLEBES

DALLA MACCHINA
DE LA MAQUINA
DE LA MACHINE
FROM THE MACHINE
AB DER MASCHINE

N.

M01 Rev.
0
09/2004



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

M01_0_49361 - STICKERS

01/09/2021

Page 126 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|--------------------------------|------|
| 53048656 | 53048656 | 1 | OVAL LOGO | |
| 53093088 | 53093088 | 1 | OVAL LOGO | |
| 58057627 | 58057627 | 1 | DECAL 615 MAX | |
| 58057628 | 58057628 | 1 | DECAL 615 L MAX | |
| 58057629 | 58057629 | 1 | DECAL 615 S MAX | |
| 58057630 | 58057630 | 1 | DECAL 650 MAX | |
| 58057631 | 58057631 | 1 | DECAL 620 MAX | |
| 58057632 | 58057632 | 1 | DECAL 630 MAX | |
| 58057633 | 58057633 | 1 | DECAL 630WS MAX | |
| 58057680 | 58057680 | 1 | DECAL | |
| 58057749 | 58057749 | 1 | DECAL WS MUSTER | |
| 58059211 | 58059211 | 1 | DECAL BCS | |
| 58157634 | 58157634 | 1 | STICKERS REFORM 620 MAX | |
| 58157635 | 58157635 | 1 | STICKERS REFORM 631L MAX | |
| 58157636 | 58157636 | 1 | SET OF REFORM STICKERS 616 MAX | |



KIT REF.


58157634 (626 REF.)
58157635 (636L REF.)
58157636 (616 REF.)



53093088



53058450 0



58057643

615 MAX

58058459 0

615 L MAX

58058460 0

615 S MAX

58058461 0

600 MAX

58057642

650 MAX

58057630

615 SL MAX

58058462 0



53048656



58057749

620 MAX

58058464 0

630 MAX

58058465 0

630WS MAX

58058466 0



600 serie MAX

ADESIMI

STICKERS
ADHESIVOS

AUTOCOLLANTS
AUFKLEBES

DALLA MACCHINA
DE LA MAQUINA
DE LA MACHINE
FROM THE MACHINE
AB DER MASCHINE
ON.

AGGIORNAMENTO
REVISION
MISE A JOUR
APLIZAMIENTO
ANPASSUNG

M01 3
11/2010

Rev.
ZENE



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

M01_3_150907 - STICKERS

01/09/2021

Page 128 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|--------------------------------|------|
| 53048656 | 53048656 | 1 | OVAL LOGO | |
| 53058450 | 53058450 | 1 | SMALL OVAL LOGO | |
| 53093088 | 53093088 | 1 | OVAL LOGO | |
| 58057630 | 58057630 | 1 | DECAL 650 MAX | |
| 58057642 | 58057642 | 1 | DECAL 600 MAX | |
| 58057643 | 58057643 | 1 | OVAL LOGO | |
| 58057749 | 58057749 | 1 | DECAL WS MUSTER | |
| 58058459 | 58058459 | 1 | DECAL 615 MAX /11 | |
| 58058460 | 58058460 | 1 | DECAL 615L MAX /11 | |
| 58058461 | 58058461 | 1 | DECAL 615S MAX /11 | |
| 58058462 | 58058462 | 1 | DECAL 615SL MAX /11 | |
| 58058464 | 58058464 | 1 | DECAL 620 MAX /11 | |
| 58058465 | 58058465 | 1 | DECAL 630 MAX /11 | |
| 58058466 | 58058466 | 1 | DECAL 630WS MAX /11 | |
| 58157634 | 58157634 | 1 | STICKERS REFORM 620 MAX | |
| 58157635 | 58157635 | 1 | STICKERS REFORM 631L MAX | |
| 58157636 | 58157636 | 1 | SET OF REFORM STICKERS 616 MAX | |



615 MAX

1

615 L MAX

2

615 S MAX

3

615 SL MAX

4

620

MAX

5

**630
MAX**

6

630WS

7★

**630WS
MAX**

8

650 MAX

9★



10



i = info - stop 2 sec. ★ = new part



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

M.01.02.A0019_04 - STICKERS

01/09/2021

Page 130 / 139

| Pos. | Id | Q.ty | Description | Note |
|------|----------|------|---------------------|------|
| 1 | 58058459 | | DECAL 615 MAX /11 | |
| 2 | 58058460 | | DECAL 615L MAX /11 | |
| 3 | 58058461 | | DECAL 615S MAX /11 | |
| 4 | 58058462 | | DECAL 615SL MAX /11 | |
| 5 | 58058464 | | DECAL 620 MAX /11 | |
| 6 | 58058465 | | DECAL 630 MAX /11 | |
| 7 | 58058467 | | DECAL 630WS /11 | |
| 8 | 58058466 | | DECAL 630WS MAX /11 | |
| 9 | 58058468 | | DECAL 650 MAX /11 | |
| 10 | 53058450 | | SMALL OVAL LOGO | |




BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

M.01.02.A0019_04 - STICKERS


01/09/2021

Page 131 / 139



| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-------------|------|
| 58046912 | 58046912 | 1 | DECAL | |
| 58046932 | 58046932 | 1 | DECAL | |
| 58057625 | 58057625 | 1 | DECAL | |
| 58057676 | 58057676 | 1 | DECAL | |
| 58057698 | 58057698 | 1 | DECAL | |
| 58057706 | 58057706 | 1 | DECAL | |
| 58057712 | 58057712 | 1 | DECAL | |
| 58057722 | 58057722 | 1 | DECAL | |
| 58057724 | 58057724 | 1 | DECAL | |
| 58057732 | 58057732 | 1 | DECAL | |
| 58057746 | 58057746 | 1 | DECAL | |
| 58057747 | 58057747 | 1 | DECAL | |
| 58057748 | 58057748 | 1 | DECAL | |
| 58057767 | 58057767 | 1 | DECAL | |
| 58057768 | 58057768 | 1 | DECAL | |
| 58057770 | 58057770 | 1 | DECAL | |
| 58057771 | 58057771 | 1 | DECAL | |
| 58057772 | 58057772 | 1 | DECAL | |
| 58057773 | 58057773 | 1 | DECAL | |
| 58057774 | 58057774 | 1 | DECAL | |
| 58093089 | 58093089 | 1 | DECAL | |





BCS Motor mowers, BCS 2-wheel tractors - 630 MAX


M02_1_71887 - STICKERS

01/09/2021

Page 134 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-------------|------|
| 58046912 | 58046912 | 1 | DECAL | |
| 58046932 | 58046932 | 1 | DECAL | |
| 58057625 | 58057625 | 1 | DECAL | |
| 58057676 | 58057676 | 1 | DECAL | |
| 58057678 | 58057678 | 1 | DECAL | |
| 58057698 | 58057698 | 1 | DECAL | |
| 58057706 | 58057706 | 1 | DECAL | |
| 58057712 | 58057712 | 1 | DECAL | |
| 58057722 | 58057722 | 1 | DECAL | |
| 58057724 | 58057724 | 1 | DECAL | |
| 58057732 | 58057732 | 1 | DECAL | |
| 58057746 | 58057746 | 1 | DECAL | |
| 58057747 | 58057747 | 1 | DECAL | |
| 58057748 | 58057748 | 1 | DECAL | |
| 58057767 | 58057767 | 1 | DECAL | |
| 58057768 | 58057768 | 1 | DECAL | |
| 58057770 | 58057770 | 1 | DECAL | |
| 58057771 | 58057771 | 1 | DECAL | |
| 58057772 | 58057772 | 1 | DECAL | |
| 58057773 | 58057773 | 1 | DECAL | |
| 58057774 | 58057774 | 1 | DECAL | |
| 58093089 | 58093089 | 1 | DECAL | |





600 serie MAX

ADESIVI

STICKERS
ADHESIVOS

AUTOCOLLANTS
AUFKLEBES

DALLA MACCHINA
DE LA MAQUINA
DE LA MACHINE
FROM THE MACHINE
AB DER MASCHINE
ON.

| |
|---------------|
| AGGIORNAMENTO |
| REVISION |
| MISE A JOUR |
| APLAMIENTO |
| ANPASSUNG |

M02

Rev. 2

01/2009



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

M02_2_115061 - STICKERS

01/09/2021

Page 136 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-------------|------|
| 58046912 | 58046912 | 1 | DECAL | |
| 58046932 | 58046932 | 1 | DECAL | |
| 58057625 | 58057625 | 1 | DECAL | |
| 58057676 | 58057676 | 1 | DECAL | |
| 58057678 | 58057678 | 1 | DECAL | |
| 58057688 | 58057688 | 1 | DECAL | |
| 58057698 | 58057698 | 1 | DECAL | |
| 58057706 | 58057706 | 1 | DECAL | |
| 58057712 | 58057712 | 1 | DECAL | |
| 58057722 | 58057722 | 1 | DECAL | |
| 58057724 | 58057724 | 1 | DECAL | |
| 58057732 | 58057732 | 1 | DECAL | |
| 58057746 | 58057746 | 1 | DECAL | |
| 58057747 | 58057747 | 1 | DECAL | |
| 58057748 | 58057748 | 1 | DECAL | |
| 58057767 | 58057767 | 1 | DECAL | |
| 58057768 | 58057768 | 1 | DECAL | |
| 58057770 | 58057770 | 1 | DECAL | |
| 58057771 | 58057771 | 1 | DECAL | |
| 58057772 | 58057772 | 1 | DECAL | |
| 58057773 | 58057773 | 1 | DECAL | |
| 58057774 | 58057774 | 1 | DECAL | |
| 58093089 | 58093089 | 1 | DECAL | |





600 serie MAX

STICKERS
ADHESIVOS

ADESIVI

AUTOCOLLANTS
AUFKLEBES

DALLA MACCHINA
DE LA MAQUINA
DE LA MACHINE
FROM THE MACHINE
AB DER MASCHINE
ON.

| |
|---------------------|
| 867450 (620-630-WS) |
| 863996 (615L-S-SL) |
| 864056 (615) |

M02 Rev. 3
11/2010



BCS Motor mowers, BCS 2-wheel tractors - 630 MAX

M02_3_150939 - STICKERS

01/09/2021

Page 138 / 139

| Pos. | Id | Q.ty | Description | Note |
|----------|----------|------|-------------|------|
| 58046932 | 58046932 | 1 | DECAL | |
| 58056864 | 58056864 | 1 | DECAL | |
| 58056867 | 58056867 | 1 | DECAL | |
| 58056868 | 58056868 | 1 | DECAL | |
| 58057458 | 58057458 | 1 | DECAL | |
| 58057625 | 58057625 | 1 | DECAL | |
| 58057676 | 58057676 | 1 | DECAL | |
| 58057678 | 58057678 | 1 | DECAL | |
| 58057722 | 58057722 | 1 | DECAL | |
| 58057724 | 58057724 | 1 | DECAL | |
| 58057732 | 58057732 | 1 | DECAL | |
| 58057746 | 58057746 | 1 | DECAL | |
| 58057747 | 58057747 | 1 | DECAL | |
| 58057748 | 58057748 | 1 | DECAL | |
| 58057767 | 58057767 | 1 | DECAL | |
| 58057768 | 58057768 | 1 | DECAL | |
| 58057770 | 58057770 | 1 | DECAL | |
| 58057771 | 58057771 | 1 | DECAL | |
| 58057772 | 58057772 | 1 | DECAL | |
| 58057773 | 58057773 | 1 | DECAL | |
| 58057774 | 58057774 | 1 | DECAL | |
| 58093089 | 58093089 | 1 | DECAL | |

